Data sheet | Item number: 2081-1122/200-604

THR PCB terminal block; push-button; 1.5 mm²; Pin spacing 3.5 mm; 2-pole; Push-in CAGE CLAMP®; 1,50 mm²; black

www.wago.com/2081-1122_200-604

RoHS Compliant ✓ BOMcheck.net Color: ■



First solder pin, front right (red circle)

Item description

- Integration of high-temperature resistant THR terminal strips into SMT Reflow soldering processes
- Tape-and-reel packaging for automated assembly available on request
- Push-in connection of solid and fine-stranded conductors with ferrules
- Convenient termination/removal of fine-stranded conductors via push-buttons
- Versions with alternating soldering pins available for higher voltage levels
- Straight and angled versions for convenient wiring in both vertical and horizontal directions
- Pin center spacing can be maintained in a terminal strip assembly

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Data

Approvals / Certificates

Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CCA DEKRA Certification B.V.	EN 60998	NTR NL 7065
	CCA DEKRA Certification B.V.	EN 60998	2159311.02
	CCA DEKRA Certification B.V.	EN 60947	NTR NL 7064
	CCA DEKRA Certification B.V.	EN 60947	2159311.01
	CSA DEKRA Certification B.V.	C22.2 No. 158	70000686

UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	UL UL International Germany GmbH	UL 1059	20190731-E45172

Counterpart

Downloads

Documentation

Additional Information

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Technical explanations	Apr 3, 2019	pdf 3.6 MB	Download

Installation Notes

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.