


## Data sheet | Item number: 210-113

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715




[www.wago.com/210-113](http://www.wago.com/210-113)



RoHS   
Compliant

[BOMcheck.net](https://www.bomcheck.net)



### Data

#### Technical Data

Main product function

Mounting Accessories

#### Geometrical Data

Width

2000 mm / 78.74 inch

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

Height	7,5 mm / 0.295 inch
Depth	35 mm / 1.378 inch

### Material Data

Weight	690 g
--------	-------

### Commercial data

Product Group	2 (Terminal Block Accessories)
Packaging type	BOX
Country of origin	IT
GTIN	4017332272308
Customs Tariff No.	72169180000

### Counterpart

### Compatible products

#### assembling



**Item no.: 209-137**

Mounting adapter; can be used as end plate; 6.5 mm wide; gray

[www.wago.com/209-137](http://www.wago.com/209-137)



**Item no.: 249-116**

Screwless end stop; 6 mm wide; for DIN-rail 35 x 15 and 35 x 7.5; gray

[www.wago.com/249-116](http://www.wago.com/249-116)



**Item no.: 249-117**

Screwless end stop; 10 mm wide; for DIN-rail 35 x 15 and 35 x 7.5; gray

[www.wago.com/249-117](http://www.wago.com/249-117)



**Item no.: 249-197**

Screwless end stop; 14 mm wide; for DIN-rail 35 x 15 and 35 x 7.5; gray

[www.wago.com/249-197](http://www.wago.com/249-197)

#### General accessories



**Item no.: 209-109**

Edge guards; for DIN 35 rail (7.5 mm high); gray

[www.wago.com/209-109](http://www.wago.com/209-109)

#### Marking accessories



**Item no.: 210-708**

Labels; for TP printers; 9.5 x 25 mm; white

[www.wago.com/210-708](http://www.wago.com/210-708)



**Item no.: 210-808**

Labels; for Smart Printer; 9.5 x 25 mm; white

[www.wago.com/210-808](http://www.wago.com/210-808)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



## Downloads Documentation

### Bid Text

210-113 doc - Datei	Aug 31, 2017	doc 24.1 kB	Download
210-113 GAEB X81 - Datei	Feb 19, 2019	xml 2.7 kB	Download

## CAD/CAE-Data

### CAD data

2D/3D Models 210-113	URL	Download
----------------------	-----	----------

### CAE data

WSCAD Universe 210-113	URL	Download
------------------------	-----	----------

## Installation Notes

DIN-Rail	Item No.	Current [A]	Acc. to mm <sup>2</sup> /AWG/Cu
DIN 35 x 7.5 (steel)			
slotted	210-112	76	16/6
unslotted	210-113	76	16/6
DIN 35 x 15 (steel)			
1.5 mm thick	210-114	125	35/2
2.3 mm thick	210-118	125	35/2
DIN 35 x 7.5 (Al)			
unslotted	210-196	76	16/6
DIN 35 x 15 (Cu)			
2.3 mm thick	210-198	309	150/6/0
Current applies to rails of 1 m/3'3" length			

When using standard carrier rails as ground conductor busbars, please refer to the maximum current capacities listed above.

Steel carrier rails are not suited for PEN (ground and N-conductor) applications per EN 60947-7-2 (VDE 0611, Part 3).

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.