Data sheet | Item number: 210-720

Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft

www.wago.com/210-720







Data Technical Data

Main product functionOperating toolSpacing1-way

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fay: +49571 887

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 210-720

www.wago.com/210-720



Material Data

Neight	29.8 g

Commercial data

Product Group	2 (Terminal Block Accessories)
Packaging type	bag
Country of origin	DE
GTIN	4045454937393
Customs Tariff No.	82055980000


Counterpart

Downloads Documentation

Bid Text

210-720 GAEB X81 - Datei	Feb 19, 2019	xml 2.8 kB	Download
210-720 doc - Datei	Sep 11, 2017	doc 24.1 kB	Download

Installation Notes



The blade dimensions of the above-listed operating tools with a partially insulated shaft are ideal for easy operation of frontentry terminal blocks.

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27


32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 210-720

www.wago.com/210-720





The blade dimensions of the above-listed operating tools with a partially insulated shaft are ideal for easy operation of frontentry terminal blocks.

 $\label{lem:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.