


Data sheet | Item number: 210-808

Labels; for Smart Printer; 9.5 x 25 mm; white

www.wago.com/210-808



Data

Technical Data

Marking	plain
Marking	plain
Units per delivery form	1,500 labels/reel
Marking device	Smart Printer (Thermal Transfer Printer)

Geometrical Data

Depth	0,1 mm
Marking surface	9,5 x 25 mm

Mechanical data

Mounting type	Using an adhesive
Smear resistance	smudge-proof in conjunction with 258-5005 Ink Ribbon

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Material Data

Color	white
Material	Polyester
Adhesive information	Acrylat
Halogen-free	Yes
Weight	82.7 g

Environmental Requirements

Surrounding air (storage) temperature	10 ... 21 °C
Surrounding air (operating) temperature	-40 ... 150 °C
Relative humidity	40 ... 50 %



Commercial data

Product Group	2 (Terminal Block Accessories)
Packaging type	BOX
Country of origin	DE
GTIN	4050821632665
Customs Tariff No.	39199080888

Counterpart

Compatible products

Marking accessories

	Item no.: 209-114 Protection cover; transparent	www.wago.com/209-114
	Item no.: 258-5000 Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi	www.wago.com/258-5000

Downloads

Documentation

Additional Information

210-805, Information on handling print material	V004.08.2017	pdf 1.6 MB	Download
---	--------------	---------------	----------

Subject to changes. Please also observe the further product documentation!



Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.