

Data

Technical data

Marking method	thermal transfer
Marking	plain
Pre-assembly	300 markers/reel; 1 line
Marking device	Smart Printer (thermal transfer printer)

Physical data

Marking surface	99 x 44 mm
-----------------	------------

Mechanical data

Mounting type	Adhesive mounting
Smear resistance	in combination with ribbon 258-5005

Material data

Color	silver-colored
Material	Polyester

Subject to changes. Please also observe the further product documentation!



Adhesive information	Acrylic; permanent
Halogen-free	Yes
Weight	240 g

Environmental requirements


Surrounding air temperature (storage)	20 ... 25 °C
Surrounding air temperature (operation)	-40 ... 120 °C
Relative humidity	40 ... 50 %

Commercial data

PU (SPU)	1 Stück
Packaging type	bag
Country of origin	DE
GTIN	4055143989411
Customs tariff number	3919905060

Optional accessories

Marking accessories

Marking device	
	<p>Item no.: 258-5000 Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi; With marking material</p> <p>www.wago.com/258-5000</p>

Downloads

Documentation

Operating Instructions

210-804 Information on handling print material	1	pdf	Download
	2020 Aug 28	1.4 MB	

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 210-824	URL	Download
Safety labels; 99 x 44 mm; silver-colored		

Subject to changes. Please also observe the further product documentation!



Installation Notes



Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.