

Data sheet | Item number: 210-862

Push-button marker; 27 x 12.5 mm; silver-colored

www.wago.com/210-862



Data

Technical Data

Suitable	for Siemens
Marking	plain
Marking	plain
Units per delivery form	1,000 markers/reel
Marking device	Smart Printer (Thermal Transfer Printer)

Geometrical Data

Depth	0,09 mm
Marking surface	27 x 12,5 mm

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Mechanical data

Mounting type	Using an adhesive
Smear resistance	smudge-proof in conjunction with 258-5005 Ink Ribbon

Material Data

Color	silver-colored
Material	Polyester
Adhesive information	Acrylic; permanent
Halogen-free	Yes
Weight	71 g

Environmental Requirements

Surrounding air (storage) temperature	22 °C
Surrounding air (operating) temperature	-30 ... 130 °C
Relative humidity	40 ... 50 %

Commercial data

Product Group	2 (Terminal Block Accessories)
Packaging type	BOX
Country of origin	DE
GTIN	4050821856443
Customs Tariff No.	39269097900

Counterpart



Item no.210-863
Cover; For push-button label (210-862) mounting; halogen-free; transparent

www.wago.com/210-863

Compatible products

Marking accessories



Item no.: 258-5000
Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi

www.wago.com/258-5000

Subject to changes. Please also observe the further product documentation!



Downloads

Documentation

Additional Information

210-852, Information on handling print material	V004.08.2017	pdf 1.5 MB	Download
---	--------------	---------------	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.