


Data sheet | Item number: 211-835

Cable tie marker; for Smart Printer; for use with cable ties; 25 x 10 mm; white

www.wago.com/211-835



Data

Technical Data

Marking	plain
Marking	plain
Units per delivery form	500 pcs/reel
Marking device	Smart Printer (Thermal Transfer Printer)

Geometrical Data

Height	20 mm
Width	25 mm

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Depth	0,17 mm
Marking surface	25 x 10 mm

Mechanical data

Mounting type	Mounting with cable ties
Smear resistance	smudge-proof in conjunction with 258-5005 Ink Ribbon

Material Data

Color	white
Material	Polyester
Halogen-free	Yes
Weight	162 g

Environmental Requirements

Surrounding air (storage) temperature	10 ... 21 °C
Surrounding air (operating) temperature	-40 ... 150 °C
Relative humidity	40 ... 50 %



Commercial data

Product Group	2 (Terminal Block Accessories)
Packaging type	BOX
Country of origin	DE
GTIN	4050821688648
Customs Tariff No.	39269097900

Counterpart

Compatible products

Marking accessories

	Item no.: 258-5000 Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi	www.wago.com/258-5000
	Item no.: 807-090/101-100 Cable tie; 2.5 mm x 100 mm	www.wago.com/807-090/101-100

Subject to changes. Please also observe the further product documentation!



Downloads

Documentation

Additional Information

211-835, Information on handling print material	V002.08.2017	pdf 1.5 MB	Download
---	--------------	---------------	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.