

Data sheet | Item number: 211-923

Nozzles; Length: 23 mm; For the use of 211-821; halogenated; Cable outer diameter: 2.0 ... 4.0 mm



www.wago.com/211-923



Data

Technical Data

| | |
|----------------|--|
| Suitable | for wire diameter 2 ... 4 mm |
| Features | for one 211-821 marker |
| Marking device | Smart Printer (Thermal Transfer Printer) |

Geometrical Data

| | |
|--------|-------|
| Length | 23 mm |
|--------|-------|

Mechanical data

| | |
|---------------|---------|
| Mounting type | Sliding |
|---------------|---------|

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Material Data

| | |
|----------|-------------|
| Color | transparent |
| Material | PVC |
| Weight | 0.3 g |

Environmental Requirements

| | |
|---|---------------|
| Surrounding air (storage) temperature | 5 ... 40 °C |
| Surrounding air (operating) temperature | -15 ... 70 °C |
| Relative humidity | 40 ... 80 % |

Commercial data

| | |
|--------------------|---------------|
| Packaging type | bag |
| Country of origin | IT |
| GTIN | 4055143381178 |
| Customs Tariff No. | 39269097900 |

Counterpart

Compatible products

Marking accessories



Item no.: 211-821

Marker card; for Smart Printer; for use in nozzles; Length: 23 mm; white


www.wago.com/211-821

Installation Notes

Subject to changes. Please also observe the further product documentation!



Slide the marker into the marking sleeve receptacle. Exchanging the marker is also possible after the conductor has been terminated.



Compress the sleeve and slide it onto the conductor to be marked.

Subject to changes. Please also observe the further product documentation!