

## Data sheet | Item number: 211-926

Nozzles; Length: 23 mm; For the use of 211-821; halogenated; Cable outer diameter: 10.0 ... 14.0 mm; transparent

[www.wago.com/211-926](http://www.wago.com/211-926)



RoHS   
Compliant



### Data

#### Technical Data

Suitable	for wire diameter 10 ... 14 mm
Features	for one 211-821 marker
Marking device	Smart Printer (Thermal Transfer Printer)

#### Geometrical Data

Length	23 mm
--------	-------

#### Mechanical data

Mounting type	Sliding
---------------	---------

#### Material Data

Color	transparent
-------	-------------

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

Material	PVC
Weight	1.4 g

### Environmental Requirements

Surrounding air (storage) temperature	5 ... 40 °C
Surrounding air (operating) temperature	-15 ... 70 °C
Relative humidity	40 ... 80 %

### Commercial data

Packaging type	bag
Country of origin	IT
GTIN	4055143381208
Customs Tariff No.	39269097900

### Counterpart

### Compatible products

#### Marking accessories



Item no.: 211-821

Marker card; for Smart Printer; for use in nozzles; Length: 23 mm; white

[www.wago.com/211-821](http://www.wago.com/211-821)

### Installation Notes



Slide the marker into the marking sleeve receptacle. Exchanging the marker is also possible after the conductor has been terminated.

Subject to changes. Please also observe the further product documentation!



Compress the sleeve and slide it onto the conductor to be marked.

Subject to changes. Please also observe the further product documentation!