

## Data sheet | Item number: 215-111

Banana plug; for socket 4 mm Ø; color mixed; 10 x each - orange, white, black, blue, yellow; 2,50 mm<sup>2</sup>



[www.wago.com/215-111](http://www.wago.com/215-111)



### Data

#### Technical Data

Main product function	Testing accessories
Total number of potentials	1

#### Electrical data

Rated current	20 A
Test voltage	42 V

#### Connection data

Connection technology	CAGE CLAMP®
Strip length	9 ... 11 mm / 0.35 ... 0.43 inch
Total number of connection points	1
Solid conductor	0.08 ... 2.5 mm <sup>2</sup> / 28 ... 14 AWG
Fine-stranded conductor	0.08 ... 2.5 mm <sup>2</sup> / 28 ... 14 AWG

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Geometrical Data

Width	8 mm / 0.315 inch
Height	15 mm / 0.591 inch
Depth	40 mm / 1.575 inch

## Material Data

Weight	3.9 g
--------	-------

## Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4045454293703
Customs Tariff No.	85366990990

## Counterpart

## Downloads

### Documentation

#### Bid Text

215-111 GAEB X81 - Datei	Feb 19, 2019	xml 3.2 kB	Download
215-111 doc - Datei	Sep 19, 2017	doc 25.1 kB	Download

## CAD/CAE-Data

### CAE data

EPLAN Data Portal 215-111	URL	Download
WSCAD Universe 215-111	URL	Download


## Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)


Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.

### Inserting a conductor



Conductor termination: Press button fully, insert stripped conductor into square entry and release.

### Testing



Testing with a banana plug

(picture shows 209-170 Test Plug Adapter).

Subject to changes. Please also observe the further product documentation!