



Data sheet | Item number: 215-211

Banana plug; for socket 4 mm Ø; 2,50 mm<sup>2</sup>; orange

[www.wago.com/215-211](http://www.wago.com/215-211)



## Data

### Technical Data

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Main product function	Testing accessories
Total number of potentials	1

**Electrical data**

Rated current	20 A
Test voltage	42 V

**Connection data**

Connection technology	CAGE CLAMP®
Strip length	9 ... 11 mm / 0.35 ... 0.43 inch
Total number of connection points	1
Solid conductor	0,08 ... 2,5 mm <sup>2</sup> / 28 ... 14 AWG
Fine-stranded conductor	0,08 ... 2,5 mm <sup>2</sup> / 28 ... 14 AWG

**Geometrical Data**

Width	8 mm / 0.315 inch
Height	15 mm / 0.591 inch
Depth	40 mm / 1.575 inch

**Material Data**

Color	orange
Weight	3.9 g

**Commercial data**

Product Group	2 (Terminal Block Accessories)
Packaging type	BOX
Country of origin	DE
GTIN	4045454293468
Customs Tariff No.	85366990990

**Counterpart****Downloads****Documentation****Bid Text**

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

215-211 GAEB X81 - Datei	Feb 19, 2019	xml 3.1 kB	Download
215-211 doc - Datei	Sep 19, 2017	doc 25.1 kB	Download


## CAD/CAE-Data

### CAE data

EPLAN Data Portal 215-211	URL	Download
WSCAD Universe 215-211	URL	Download

## Installation Notes

### Inserting a conductor



Conductor termination: Press button fully, insert stripped conductor into square entry and release.

### Testing

Subject to changes. Please also observe the further product documentation!



Testing with a banana plug

(picture shows 209-170 Test Plug Adapter).

Subject to changes. Please also observe the further product documentation!