


Data sheet | Item number: 216-545

Twin ferrule only for 811 series; Sleeve for 2 x 2.5 mm / AWG 14; insulated;
Nominal current 63 A

www.wago.com/216-545



Data
Technical Data

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Main product function

Ferrule

Connection data

Strip length

12 mm / 0.47 inch

Geometrical Data

Length

21 mm

Length 1

12 mm

Material Data

Weight

0.4 g

Commercial data

Product Group

2 (Terminal Block Accessories)

Packaging type

BOX

Country of origin

DE

GTIN

4045454432942

Customs Tariff No.

85369010000

Counterpart**Downloads****Documentation****Bid Text**

216-545

Apr 28, 2017

doc

Download

doc - Datei

23.0 kB

216-545

Feb 19, 2019

xml

Download

GAEB X81 - Datei

2.7 kB

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27


32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



A perfect gas-tight crimp – both electrically and mechanically reliable

Subject to changes. Please also observe the further product documentation!