


Data sheet | Item number: 221-2523 **NEW**

Mounting carrier; 3-way; for inline splicing connector with lever; for screw mounting; gray




[www.wago.com/221-2523](http://www.wago.com/221-2523)



Subject to changes. Please also observe the further product documentation!

WAGO Corporation  
Germantown, WI 53022  
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222  
Email: [info.us@wago.com](mailto:info.us@wago.com) | Web: [www.wago.us](http://www.wago.us)

Do you have any questions about our products?  
We are always happy to take your call at {0}.



## Data

### Physical data

|                         |                      |
|-------------------------|----------------------|
| Width                   | 29.8 mm / 1.173 inch |
| Height from the surface | 6.5 mm / 0.256 inch  |
| Depth                   | 56 mm / 2.205 inch   |

### Material data

|        |       |
|--------|-------|
| Color  | gray  |
| Weight | 4.4 g |

### Commercial data

|                       |               |
|-----------------------|---------------|
| Packaging type        | BOX           |
| Country of origin     | CN            |
| GTIN                  | 4055144066807 |
| Customs tariff number | 3926909985    |

## Compatible products

### assembling

Item no.: 209-119

Subject to changes. Please also observe the further product documentation!

WAGO Corporation  
Germantown, WI 53022  
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222  
Email: [info.us@wago.com](mailto:info.us@wago.com) | Web: [www.wago.us](http://www.wago.us)

Do you have any questions about our products?  
We are always happy to take your call at {0}.



|                            |   |  |
|----------------------------|---|--|
|                            | Fixing screw; for 209-120 mounting carrier  | <a href="http://www.wago.com/209-119">www.wago.com/209-119</a> |
|                            | <b>Item no.: 209-120</b><br>Mounting foot; can be snapped on terminal blocks with snap-in mounting foot; for mounting on relay-modules; 6.4 mm wide; gray | <a href="http://www.wago.com/209-120">www.wago.com/209-120</a> |
|                            | <b>Item no.: 209-123</b><br>Mounting foot with screw; can be screwed on terminal blocks with fixing flange; 6.4 mm wide; gray                             | <a href="http://www.wago.com/209-123">www.wago.com/209-123</a> |
| <b>Marking accessories</b> |   |  |
|                            | <b>Item no.: 210-334</b><br>Marking strips; as a DIN A4 sheet; Strip width 5 mm; Strip length 182 mm; plain; Self-adhesive; white                         | <a href="http://www.wago.com/210-334">www.wago.com/210-334</a> |

**Downloads**

**Documentation**

**Additional Information**

|                        |            |               |          |
|------------------------|------------|---------------|----------|
| Technical explanations | 2019 Apr 3 | pdf<br>2.2 MB | Download |
|------------------------|------------|---------------|----------|

**Environmental Product Compliance**

**Compliance Search**

|  |     |          |
|--|-----|----------|
| Environmental Product Compliance 221-2523<br>Mounting carrier; 3-way; for inline splicing connector with lever; for screw mounting; gray | URL | Download |
|--|-----|----------|

**Installation Notes**

Subject to changes. Please also observe the further product documentation!

WAGO Corporation  
 Germantown, WI 53022  
 Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222  
 Email: [info.us@wago.com](mailto:info.us@wago.com) | Web: [www.wago.us](http://www.wago.us)

Do you have any questions about our products?  
 We are always happy to take your call at {0}.