

**Data sheet | Item number: 226-110**

End plate; for 630 V, cut-out dimensions L1; 1.5 mm thick; gray

[www.wago.com/226-110](http://www.wago.com/226-110)



**Data**

**Electrical data**

**Ratings per IEC/EN 60664-1**

Legend (ratings)

(III / 2) ≙ Overvoltage category III / Pollution degree 2

**Approvals per UL 1059**

Approvals per

UL 1059

**Connection data**

Number of connection types

1

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Geometrical Data

Width	1,5 mm / 0.059 inch
Height	22 mm / 0.866 inch
Depth	26 mm / 1.024 inch

## Mechanical data

Design	long
--------	------

## Material Data

Color	gray
Fire load	0.028 MJ
Weight	0.9 g

## Commercial data

Product Group	4 (Printed Circuit)
Packaging type	BOX
Country of origin	DE
GTIN	4017332107099
Customs Tariff No.	85389099990

## Counterpart

## Downloads

### Documentation

#### Additional Information

Technical explanations	Apr 3, 2019	pdf 3.6 MB	Download
------------------------	-------------	---------------	----------

## CAD/CAE-Data

### CAD data

2D/3D Models 226-110	URL	Download
----------------------	-----	----------

### CAE data

EPLAN Data Portal 226-110	URL	Download
---------------------------	-----	----------

Subject to changes. Please also observe the further product documentation!



[URL](#)

[Download](#)

WSCAD Universe 226-110

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.