


Data sheet | Item number: 233-332

Operating tool; made of insulating material; white

www.wago.com/233-332



Data

Technical data

Main product function	Operating tool
Number of pitches	1 -way

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Physical data

Depth	71 mm / 2.79 inch
Pin spacing	2.5/2.54 mm

Mechanical data

Suitable	for male and female connectors with CAGE CLAMP® connection
----------	--

Material data

Color	white
Fire load	0.035 MJ
Weight	1.2 g

Commercial data

Product Group	4 (Printed Circuit)
PU (SPU)	500 (50) Stück
Packaging type	box
Country of origin	CH
GTIN	4017332125154
Customs tariff number	3926909985

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 233-332	URL	Download
Operating tool; made of insulating material; white		

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
 Germantown, WI 53022
 Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
 Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Conductor termination via operating tool
(233-331) Operation parallel to conductor
entry

Subject to changes. Please also observe the further product documentation!