


Data sheet | Item number: 243-112

Mounting carrier; for 243 series connectors (4); orange

www.wago.com/243-112



Item description

Quick Fix Mounting

Finding that the MICRO PUSH WIRE® Connectors for Junction Boxes are ideal for DIN-rail-mount panel applications, electrical installers have requested the ability to use them in distribution panels. These connectors provide easy connections for smaller conductors used in low-current applications. They are well-suited to terminating telephone-style conductors for connecting alarms, bells, door sensors, communication systems and more.

The mounting carrier is WAGO's professional solution. It is available with mounting slots for 4 or 6 connectors.

Depending on the number of conductors, each mounting slot can accommodate a 4- or 8-conductor MICRO PUSH WIRE® Junction Box Connector. The connectors simply snap into the mounting slots and are removable, allowing conductors to be exchanged during changeover.

The carrier is designed for easy mounting directly to the DIN-35 rail, or to a panel, via the screw-mount flanges provided on both sides. A large marking area for direct marking with a permanent felt-tip pen or for pre-printed, self-adhesive marking strips is provided for clear circuit identification.

Data

Mechanical data

Mounting type	DIN-35 rail Screw mount
---------------	----------------------------

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Suitable	for 4 connectors
----------	------------------

Material data

Color	orange
Fire load	0.08 MJ
Weight	1.9 g

Commercial data

Product Group	7 (Push Wire Conn.)
PU (SPU)	50 (10) Stück
Packaging type	box
Country of origin	DE
GTIN	4017332335508
Customs tariff number	3926909985

Optional accessories

Marking accessories

Marking strip



Item no.: 210-833

Marking strips; 25 m on roll; 6 mm wide; plain; Self-adhesive; white

www.wago.com/210-833

Downloads

Documentation

Bid Text

243-112	2019 Feb 19	xml	Download
X81 - Datei		2.6 kB	

243-112	2017 May 19	doc	Download
doc - Datei		24.1 kB	

Additional Information

Technical explanations	pdf	Download
	2.2 MB	

CAD files

CAD data

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
 Germantown, WI 53022
 Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
 Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



2D/3D Models 243-112

[URL](#)

[Download](#)

CAE data

WSCAD Universe 243-112

[URL](#)

[Download](#)

ZUKEN Portal 243-112

[URL](#)

[Download](#)

EPLAN Data Portal 243-112

[URL](#)

[Download](#)

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 243-112

[URL](#)

[Download](#)

Mounting carrier; for 4 connectors; 243 Series; for DIN-35 rail mounting/screw mounting; orange

Installation Notes



Inserting a MICRO junction box connector into the mounting carrier.



Removing a mounting carrier from the assembly.

Subject to changes. Please also observe the further product documentation!



Typical application in a terminal box for burglar alarm

– screw-mounted carrier



Example of a residential door bell application

– carriers mounted on a DIN-35 rail



Example of a residential intercom application

Subject to changes. Please also observe the further product documentation!