


Data sheet | Item number: 248-509

Mini-WSB marking card; as card; MARKED; 151 ... 200 (2x); not stretchable;
Horizontal marking; snap-on type; white

www.wago.com/248-509



Data

Technical data

Marking method	thermal transfer
Marking	151 ... 200
Marking (number)	2
Marking direction	Horizontal marking
Marking color	black
Marking type	Numbers
Representation of the imprint	consecutive numbers per strip
Pre-assembly	10 strips with 10 markers per card

Physical data

Marker/Strip width	5 mm
Marker width	5 mm

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Mechanical data

Smear resistance	EN 60998-1:2004
------------------	-----------------

Material data

Color	white
UV resistance	EN 60068-2-5:2010 Procedure B
Weight	6.7 g
Fire load	0.201 MJ

Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	50 (5) Stück
Packaging type	box
Country of origin	DE
GTIN	4017332132701
Customs tariff number	3926909985

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 248-509	URL	Download
Mini-WSB marking card; as card; MARKED; 151 ... 200 (2x); not stretchable; Horizontal marking; snap-on type; white		

Installation Notes

Marking

Subject to changes. Please also observe the further product documentation!

Data sheet | Item number: 248-509

www.wago.com/248-509



Marking via Mini-WSB Quick Marking System.

Product family

Mini-WSB

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.