

Data sheet | Item number: 282-434/100-000

Jumper with safety lid; insulated; 4-way; Nominal current 30 A; orange

www.wago.com/282-434_100-000



RoHS Compliant

[BOMcheck.net](https://www.bomcheck.net)

Color: ■

Data

Electrical data

Ratings per IEC/EN 60664-1

Rated current	30 A
---------------	------

Material Data

Color	orange
Fire load	0.05 MJ
Weight	5.5 g

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4050821096382
Customs Tariff No.	85366990990

Counterpart

Downloads

Documentation

Bid Text

282-434/100-000 doc - Datei	Mar 3, 2017	doc 24.6 kB	Download
282-434/100-000 GAEB X81 - Datei	Feb 19, 2019	xml 2.6 kB	Download
Additional Information Technical explanations	Apr 3, 2019	pdf 2.1 MB	Download

CAD/CAE-Data


CAE data

WSCAD Universe 282-434/100-000	URL	Download
--------------------------------	-----	----------


Installation Notes

Jumpered


Subject to changes. Please also observe the further product documentation!



BJumper with safety lid in pre-locked position



Longitudinal switching disconnect terminal blocks with inserted jumper, including safety lid



Jumper with raised safety lid



Removing a jumper via safety lid.



Jumper with safety lid



Jumper with safety lid:

Remove jumper via operating tool.

Removing jumper via operating tool.

Subject to changes. Please also observe the further product documentation!