


Data sheet | Item number: 2857-900

Configuration display

[www.wago.com/2857-900](http://www.wago.com/2857-900)



Subject to changes. Please also observe the further product documentation!

---

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

RoHS  
Compliant

BOMcheck.net

## Item description

### Features:

- Easy mounting on 2857 Series devices
- Automatic module detection
- Capacitive user interface with slider function
- Intuitive menu navigation
- Multicolor backlight for status indication
- Device configuration and process value visualization
- Easy copying of device configuration

## Data

### Technical Data

### Operating data

Operating voltage	DC 3,3 V
Current consumption	≤ 60 mA

### Geometrical Data

Width	22 mm / 0.866 inch
Height	13 mm / 0.512 inch
Depth	59 mm / 2.323 inch

### Mechanical data

Type of mounting	Pluggable module
------------------	------------------

### Material Data

Fire load	0.115 MJ
Weight	24.3 g

Subject to changes. Please also observe the further product documentation!



## Environmental Requirements

Surrounding air (operating) temperature	-20 ... 70 °C
Surrounding air (storage) temperature	-30 ... 80 °C
Relative humidity	10 ... 95 % (without condensation)
Max. operating altitude	2000 m

## Standards and specifications

Conformity marking	CE
EMC immunity to interference	EN 61000-6-2; EN 61326-2-3; EN 50121-3-2
EMC emission of interference	EN 61000-6-4; EN 61326-2-3; EN 50121-3-2
Standards/specifications	EN 61373

## Commercial data

Product Group	6 (Interface Electronics)
Packaging type	bag
Country of origin	DE
GTIN	4050821677017
Customs Tariff No.	90303370000

## Counterpart

### Downloads

#### Documentation

##### Bid Text

2857-900 X81 - Datei	Feb 19, 2019	xml 3.3 kB	Download
2857-900 docx - Datei	Feb 20, 2019	docx 15.8 kB	Download

##### Instruction Leaflet

Konfigurationsdisplay		pdf 1.3 MB	Download
-----------------------	--	---------------	----------

##### Additional Information

Disposal; Electrical and electronic equipment, Packaging	V 1.0.0	pdf	Download
--	---------	-----	----------

Subject to changes. Please also observe the further product documentation!



265.8 kB

---

## CAD/CAE-Data

### CAE data

EPLAN Data Portal 2857-900	<a href="#">URL</a>	<a href="#">Download</a>
WSCAD Universe 2857-900	<a href="#">URL</a>	<a href="#">Download</a>

## Installation Notes

Subject to changes. Please also observe the further product documentation!