



Data

Electrical data

Ratings per IEC/EN 60664-1

Legend (ratings)

(III / 2) ≙ Overvoltage category III / Pollution degree 2

Approvals per UL 1059

Approvals per

UL 1059

Connection data

Number of connection types

1

Geometrical Data

Width

55 mm / 2.165 inch

Subject to changes. Please also observe the further product documentation!

Mechanical data

Suitable

for 1-conductor male and female connectors

Material Data


Color	light gray
Fire load	0.08 MJ
Weight	2.7 g

Commercial data

Product Group	3 (Multi Conn. System)
Packaging type	BOX
Country of origin	DE
GTIN	4045454163143
Customs Tariff No.	85389099990

Approvals / Certificates

Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	LR Lloyds Register	IEC 61984	96/20035 (E5)

Counterpart

Downloads

Documentation

Additional Information

Technical explanations	Apr 3, 2019	pdf 3.6 MB	Download
------------------------	-------------	---------------	----------

CAD/CAE-Data


CAD data

2D/3D Models 734-426	URL	Download
----------------------	-----	----------

Subject to changes. Please also observe the further product documentation!

Installation Notes

Assembly



Strain relief plates for factory or in-the-field assembly.

Subject to changes. Please also observe the further product documentation!