



Subject to changes. Please also observe the further product documentation!



Conductor size
 Ø 6.5 ... 10.5 mm / max. 2.5 mm²

Data

Technical Data

Connection type	M23 socket
No. of poles	6
Leitungsanschlussrichtung zur Steckrichtung	0°

Connection data

Connection type (1)	Löttechnik
---------------------	------------

Mechanical data

Connectable sheathed cable diameter	6.5 ... 10.5 mm
Weight	72.7 g

Environmental Requirements

Protection class	IP67
------------------	------

Commercial data

Product Group	23 (I/O passive and accessories)
Packaging type	bag
Country of origin	DE
GTIN	4045454434809
Customs Tariff No.	85444290900

Counterpart

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Downloads

CAD/CAE-Data

CAE data

WSCAD Universe 756-9603/060-000

URL

Download

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.