

Item description

An end module must be snapped onto the assembly at the end of a WAGO I/O System Advanced node. The end module completes the internal data bus and protects the contacts.

Two fuses (e.g., for the 763-5101 Field Supply Module) can be plugged into the end module as a reserve.

Data

Technical data

Marking

CI I, Div. 2, Group A, B, C, D, T4

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Physical data

Width	8.5 mm / 0.335 inch
Height	105 mm / 4.134 inch
Depth	75 mm / 2.953 inch

Mechanical data

Mounting type	DIN-35 rail
---------------	-------------

Material data

Weight	19 g
Conformity marking	CE

Environmental requirements

Ambient temperature (operation)	-25 ... +60 °C (Horizontal, typical control cabinet installation; -25 ... +50 °C, other mounting positions)
Surrounding air temperature (storage)	-40 ... +85 °C
Temperature range of connection cable per EN 61010-2-201	$\geq (T_{\text{ambient}} + 25 \text{ K})$
Temperature range of connection cable per UL 61010-2-201 (min.)	85 °C
Protection type	IP20
Pollution degree (5)	2
Operating altitude	without temperature derating: 0 ... 2000 m; with temperature derating: 2000 ... 3000 m (0.5 K/100 m)
Mounting position	horizontal, typical for control cabinets (nominal mounting position); horizontal (floor mounting position); standing (vertical at bottom)
EMC immunity to interference	per EN 61000-6-1, -2
EMC emission of interference	per EN 61000-6-3, -4

Commercial data

PU (SPU)	1 Stück
Country of origin VKOrg Germany	DE
GTIN	4055143973786
Customs tariff number VKOrg Germany	8538901000

Approvals / Certificates

Ex-Approvals


Certificate

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
 Germantown, WI 53022
 Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
 Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.




Logo	Approval	Additional Approval Text	name
	UL Underwriters Laboratories Inc. (HAZARDOUS LOCATIONS)	UL 121201	E198726

Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	DNV DNV Germany GmbH	DNV-CG-0339, Aug. 2021	TAA000031M

UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	UL Underwriters Laboratories Inc. (ORDINARY LOCATIONS)	UL 61010-2-201	E175199

Installation Notes

Product family

WAGO I/O System Advanced
[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
 Germantown, WI 53022
 Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
 Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.