


This item has been discontinued and as of 30.09.2018, can no longer be delivered.



## Data sheet | Item number: 767-3802

8-channel digital input; 24 VDC; 4 x M12, two outputs per connector; -

[www.wago.com/767-3802](http://www.wago.com/767-3802)



RoHS Compliant

[BOMcheck.net](http://BOMcheck.net)

Subject to changes. Please also observe the further product documentation!



WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data sheet | Item number: 767-3802

www.wago.com/767-3802



### Item description

#### Short description:

This digital input module records binary signals from switches, sensors and proximity sensors (BEROs).

#### Features:

- Eight digital inputs, 24 VDC
- Diagnostic-capable (module by module)
- Parameterizable (filter, inversion, online simulation and diagnostics)

#### Includes:

- 1 x module marker (WMB), yellow
- 1 x marking strip
- 2 x M12 protective cap

### Data

#### Technical Data

Number of digital inputs	8
Total number of channels (module)	8

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



## Data sheet | Item number: 767-3802

[www.wago.com/767-3802](http://www.wago.com/767-3802)

Type of signal	Voltage
Type of signal voltage	DC 24 V
Sensor connection	8 x (2-wire, 3-wire)
Input characteristic	high-side switching
Input characteristic	Type 2, per IEC 61131-2
Input filter (digital)	0.1 ms 0.5 ms 3 ms 15 ms 20 ms
Input filter	Hardware: $\leq 80 \mu\text{s}$ ; Software: parameterizable
Input current per channel for signal (0) max.	2.4 mA
Input current per channel for signal (1) typ.	7.3 mA
Input current per channel for signal (1) min.	6.4 mA
Input current per channel for signal (1) max.	7.4 mA
Voltage range for signal (0)	-3 ... +5 VDC
Voltage range for signal (1)	11 ... 30 VDC
Process data width	1-byte data + status
Parametrierbare Funktionen	I/O diagnostics (per module): Short circuit/overload (sensor supply); Undervoltage ( $U_{LS} + U_A$ )  Online simulation (per module): Diagnostics Online simulation (per channel): Lock/unlock; simulation value: 0/1 Input filter (per channel): 0.1/ 0.5/ 3 /15 /20 ms/ Filter "Off" Inversion (per channel): On/off
Protection	Reverse voltage protection for $U_{LS} + U_O$ ; Short circuit protection for sensor supply
System supply voltage	)
System and sensor supply voltage	DC 24 V(-25 ... +30 %); Logic and sensors ( $U_{LS}$ )
Current consumption: System and sensor	40 mA
Stromaufnahme System und Sensor Hinweis	+ sensors (max. 400 mA)
Field supply voltage	DC 24 V (-25 ... +30 %); Actuators ( $U_A$ ), for transmission only
Current consumption, field supply (module with no external load)	5 mA
Isolation	500 V supply/system bus
Indicators	LED (F) red: Error status; LED (SB) green/red/orange: System bus status; LED ( $U_{LS}, U_A$ ) green: Power supply status; LED (0 ... 7) yellow: Status/diagnostics DI 1 ... DI 8; Non-retentive displays
Current carrying capacity of the supply connections	8 A

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data sheet | Item number: 767-3802

[www.wago.com/767-3802](http://www.wago.com/767-3802)

### Connection data

Connection technology: In-/Outputs	4 x M12 socket; A-coded; 4-pole
Connection technology: field supply	1 x M12 plug; 4-pole; A-coded; 1 x M12 socket, 4-pole, A-coded
Connection technology: system supply	1 x M12 socket; 4-pole; A-coded; 1 x M12 plug; 4-pole; A-coded
Connection technology: System bus	1 x M12 socket, 5-pole, B-coded, shielded; 1 x M12 plug, 5-pole, B-coded, shielded
Anschlussanforderung zulässige Leitungslänge	30 m
Connection requirement (permissible cable type)	Digital inputs: unshielded

### Geometrical Data

Width	50 mm / 1.969 inch
Height	35,7 mm / 1.406 inch
Depth	117 mm / 4.606 inch

### Material Data

Housing material	Polyamide (PA), Makrolon (address switch cover), flammability per UL94-V0, halogen/silicon-free
Weight	282 g
Conformity marking	CE
Potting	Polyurethane (PUR), halogen/silicon-free

### Environmental Requirements

Surrounding air (operating) temperature	-25 ... 60 °C
Surrounding air (storage) temperature	-40 ... 85 °C
Protection class	IP67
Protection class	III
Operating altitude	-1000 ... 2000 m; air pressure: 1080 ... 795 hPa
Relative air humidity (no condensation)	95 %
Vibration resistance	5g per IEC 60068-2-6
Shock resistance	Short-term: 50g/11 ms/half-sine per IEC 60068-2-27; Long-term: 30g/6 ms/half-sine per IEC 60068-2-29
EMC immunity to interference	per EN 61000-6-2
EMC emission of interference	per EN 61000-6-4
Permissible H <sub>2</sub> S contaminant concentration at a relative humidity 75 %	0.1 ppm
	0.5 ppm

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.

This item has been discontinued and as of 30.09.2018, can no longer be delivered.



## Data sheet | Item number: 767-3802

[www.wago.com/767-3802](http://www.wago.com/767-3802)



Permissible SO<sub>2</sub> contaminant concentration at a relative humidity 75  
%

## Commercial data


Product Group	15 (Remote I/O)
Packaging type	BOX
Country of origin	DE
GTIN	4045454545192
Customs Tariff No.	85389091890

## Approvals / Certificates

### Ex-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	ATEX DEKRA EXAM GmbH	EN 60079-0	BVS_15_ATEX_E_098_X
	IECEX DEKRA EXAM GmbH	IEC 60079-0	IECEX_BVS_15.0083_X

### UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	UL UL International Germany GmbH (ORDINARY LOCATIONS)	UL 508	E175199 Sec.5

## Counterpart

## Compatible products

### tools

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

This item has been discontinued and as of 30.09.2018, can no longer be delivered.



## Data sheet | Item number: 767-3802

[www.wago.com/767-3802](http://www.wago.com/767-3802)



Item no.: 206-701

Torque wrench M8 and M12; Assembly kit

[www.wago.com/206-701](http://www.wago.com/206-701)

### wiring and connectors



Item no.: 756-1300/000-1000

System bus cable; 5-pole; Length: 100 m; yellow

[www.wago.com/756-1300/000-1000](http://www.wago.com/756-1300/000-1000)



Item no.: 756-1300/000-250

System bus cable; 5-pole; Length: 25 m; yellow

[www.wago.com/756-1300/000-250](http://www.wago.com/756-1300/000-250)



Item no.: 756-1300/000-500

System bus cable; 5-pole; Length: 50 m; yellow

[www.wago.com/756-1300/000-500](http://www.wago.com/756-1300/000-500)



Item no.: 756-1301/060-020

System bus cable; 5-pole; Length: 2 m

[www.wago.com/756-1301/060-020](http://www.wago.com/756-1301/060-020)



Item no.: 756-1301/060-050

System bus cable; 5-pole; Length: 5 m

[www.wago.com/756-1301/060-050](http://www.wago.com/756-1301/060-050)



Item no.: 756-1301/060-100

System bus cable; 5-pole; Length: 10 m

[www.wago.com/756-1301/060-100](http://www.wago.com/756-1301/060-100)



Item no.: 756-1301/060-200

System bus cable; 5-pole; Length: 20 m

[www.wago.com/756-1301/060-200](http://www.wago.com/756-1301/060-200)



Item no.: 756-1302/060-020

System bus cable; 5-pole; Length: 2 m

[www.wago.com/756-1302/060-020](http://www.wago.com/756-1302/060-020)



Item no.: 756-1302/060-050

System bus cable; 5-pole; Length: 5 m

[www.wago.com/756-1302/060-050](http://www.wago.com/756-1302/060-050)



Item no.: 756-1302/060-100

System bus cable; 5-pole; Length: 10 m

[www.wago.com/756-1302/060-100](http://www.wago.com/756-1302/060-100)



Item no.: 756-1302/060-200

System bus cable; 5-pole; Length: 20 m

[www.wago.com/756-1302/060-200](http://www.wago.com/756-1302/060-200)



Item no.: 756-1303/060-020

System bus cable; 5-pole; Length: 2 m

[www.wago.com/756-1303/060-020](http://www.wago.com/756-1303/060-020)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?














We are always happy to take your call at +49 (571) 887-44222.

This item has been discontinued and as of 30.09.2018, can no longer be delivered.



## Data sheet | Item number: 767-3802

[www.wago.com/767-3802](http://www.wago.com/767-3802)

	<b>Item no.: 756-1303/060-050</b> System bus cable; 5-pole; Length: 5 m	<a href="http://www.wago.com/756-1303/060-050">www.wago.com/756-1303/060-050</a>
	<b>Item no.: 756-1303/060-100</b> System bus cable; 5-pole; Length: 10 m	<a href="http://www.wago.com/756-1303/060-100">www.wago.com/756-1303/060-100</a>
	<b>Item no.: 756-1303/060-200</b> System bus cable; 5-pole; Length: 20 m	<a href="http://www.wago.com/756-1303/060-200">www.wago.com/756-1303/060-200</a>
	<b>Item no.: 756-1304/060-020</b> System bus cable; 5-pole; Length: 2 m	<a href="http://www.wago.com/756-1304/060-020">www.wago.com/756-1304/060-020</a>
	<b>Item no.: 756-1304/060-050</b> System bus cable; 5-pole; Length: 5 m	<a href="http://www.wago.com/756-1304/060-050">www.wago.com/756-1304/060-050</a>
	<b>Item no.: 756-1304/060-100</b> System bus cable; 5-pole; Length: 10 m	<a href="http://www.wago.com/756-1304/060-100">www.wago.com/756-1304/060-100</a>
	<b>Item no.: 756-1304/060-200</b> System bus cable; 5-pole; Length: 20 m	<a href="http://www.wago.com/756-1304/060-200">www.wago.com/756-1304/060-200</a>
	<b>Item no.: 756-1305/060-002</b> System bus cable; 5-pole; Length 0.2 m	<a href="http://www.wago.com/756-1305/060-002">www.wago.com/756-1305/060-002</a>
	<b>Item no.: 756-1305/060-003</b> System bus cable; 5-pole; Length: 0.3 m	<a href="http://www.wago.com/756-1305/060-003">www.wago.com/756-1305/060-003</a>
	<b>Item no.: 756-1305/060-005</b> System bus cable; 5-pole; Length: 0.5 m	<a href="http://www.wago.com/756-1305/060-005">www.wago.com/756-1305/060-005</a>
	<b>Item no.: 756-1305/060-010</b> System bus cable; 5-pole; Length: 1 m	<a href="http://www.wago.com/756-1305/060-010">www.wago.com/756-1305/060-010</a>
	<b>Item no.: 756-1305/060-020</b> System bus cable; 5-pole; Length: 2 m	<a href="http://www.wago.com/756-1305/060-020">www.wago.com/756-1305/060-020</a>
	<b>Item no.: 756-1305/060-030</b> System bus cable; 5-pole; Length: 3 m	<a href="http://www.wago.com/756-1305/060-030">www.wago.com/756-1305/060-030</a>

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)














Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

This item has been discontinued and as of 30.09.2018, can no longer be delivered.



## Data sheet | Item number: 767-3802

[www.wago.com/767-3802](http://www.wago.com/767-3802)

	<b>Item no.: 756-1305/060-050</b> System bus cable; 5-pole; Length: 5 m	<a href="http://www.wago.com/756-1305/060-050">www.wago.com/756-1305/060-050</a>
	<b>Item no.: 756-1305/060-070</b> System bus cable; 5-pole; Length: 7 m	<a href="http://www.wago.com/756-1305/060-070">www.wago.com/756-1305/060-070</a>
	<b>Item no.: 756-1305/060-100</b> System bus cable; 5-pole; Length: 10 m	<a href="http://www.wago.com/756-1305/060-100">www.wago.com/756-1305/060-100</a>
	<b>Item no.: 756-1305/060-200</b> System bus cable; 5-pole; Length: 20 m	<a href="http://www.wago.com/756-1305/060-200">www.wago.com/756-1305/060-200</a>
	<b>Item no.: 756-1305/060-500</b> System bus cable; 5-pole; Length: 50 m	<a href="http://www.wago.com/756-1305/060-500">www.wago.com/756-1305/060-500</a>
	<b>Item no.: 756-1306/060-002</b> System bus cable; 5-pole; Length 0.2 m	<a href="http://www.wago.com/756-1306/060-002">www.wago.com/756-1306/060-002</a>
	<b>Item no.: 756-1306/060-003</b> System bus cable; 5-pole; Length: 0.3 m	<a href="http://www.wago.com/756-1306/060-003">www.wago.com/756-1306/060-003</a>
	<b>Item no.: 756-1306/060-005</b> System bus cable; 5-pole; Length: 0.5 m	<a href="http://www.wago.com/756-1306/060-005">www.wago.com/756-1306/060-005</a>
	<b>Item no.: 756-1306/060-010</b> System bus cable; 5-pole; Length: 1 m	<a href="http://www.wago.com/756-1306/060-010">www.wago.com/756-1306/060-010</a>
	<b>Item no.: 756-1306/060-020</b> System bus cable; 5-pole; Length: 2 m	<a href="http://www.wago.com/756-1306/060-020">www.wago.com/756-1306/060-020</a>
	<b>Item no.: 756-1306/060-030</b> System bus cable; 5-pole; Length: 3 m	<a href="http://www.wago.com/756-1306/060-030">www.wago.com/756-1306/060-030</a>
	<b>Item no.: 756-1306/060-050</b> System bus cable; 5-pole; Length: 5 m	<a href="http://www.wago.com/756-1306/060-050">www.wago.com/756-1306/060-050</a>
	<b>Item no.: 756-1306/060-070</b> System bus cable; 5-pole; Length: 7 m	<a href="http://www.wago.com/756-1306/060-070">www.wago.com/756-1306/060-070</a>

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



This item has been discontinued and as of 30.09.2018, can no longer be delivered.



## Data sheet | Item number: 767-3802

[www.wago.com/767-3802](http://www.wago.com/767-3802)



**Item no.: 756-1306/060-100**  
System bus cable; 5-pole; Length: 10 m

[www.wago.com/756-1306/060-100](http://www.wago.com/756-1306/060-100)



**Item no.: 756-1306/060-200**  
System bus cable; 5-pole; Length: 20 m

[www.wago.com/756-1306/060-200](http://www.wago.com/756-1306/060-200)



**Item no.: 756-1306/060-500**  
System bus cable; 5-pole; Length: 50 m

[www.wago.com/756-1306/060-500](http://www.wago.com/756-1306/060-500)



**Item no.: 756-1500/000-1000**  
System bus cable for drag chain; 5-pole; Length: 100 m

[www.wago.com/756-1500/000-1000](http://www.wago.com/756-1500/000-1000)



**Item no.: 756-1500/000-250**  
System bus cable for drag chain; 5-pole; Length: 25 m

[www.wago.com/756-1500/000-250](http://www.wago.com/756-1500/000-250)



**Item no.: 756-1500/000-500**  
System bus cable for drag chain; 5-pole; Length: 50 m

[www.wago.com/756-1500/000-500](http://www.wago.com/756-1500/000-500)



**Item no.: 756-1501/060-020**  
System bus cable for drag chain; 5-pole; Length: 2 m

[www.wago.com/756-1501/060-020](http://www.wago.com/756-1501/060-020)



**Item no.: 756-1501/060-050**  
System bus cable for drag chain; 5-pole; Length: 5 m

[www.wago.com/756-1501/060-050](http://www.wago.com/756-1501/060-050)



**Item no.: 756-1501/060-100**  
System bus cable for drag chain; 5-pole; Length: 10 m

[www.wago.com/756-1501/060-100](http://www.wago.com/756-1501/060-100)



**Item no.: 756-1501/060-200**  
System bus cable for drag chain; 5-pole; Length: 20 m

[www.wago.com/756-1501/060-200](http://www.wago.com/756-1501/060-200)



**Item no.: 756-1502/060-020**  
System bus cable for drag chain; 5-pole; Length: 2 m

[www.wago.com/756-1502/060-020](http://www.wago.com/756-1502/060-020)



**Item no.: 756-1502/060-050**  
System bus cable for drag chain; 5-pole; Length: 5 m

[www.wago.com/756-1502/060-050](http://www.wago.com/756-1502/060-050)



**Item no.: 756-1502/060-100**  
System bus cable for drag chain; 5-pole; Length: 10 m

[www.wago.com/756-1502/060-100](http://www.wago.com/756-1502/060-100)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)














Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

This item has been discontinued and as of 30.09.2018, can no longer be delivered.



## Data sheet | Item number: 767-3802

[www.wago.com/767-3802](http://www.wago.com/767-3802)

	<b>Item no.: 756-1502/060-200</b> System bus cable for drag chain; 5-pole; Length: 20 m	<a href="http://www.wago.com/756-1502/060-200">www.wago.com/756-1502/060-200</a>
	<b>Item no.: 756-1503/060-020</b> System bus cable for drag chain; 5-pole; Length: 2 m	<a href="http://www.wago.com/756-1503/060-020">www.wago.com/756-1503/060-020</a>
	<b>Item no.: 756-1503/060-050</b> System bus cable for drag chain; 5-pole; Length: 5 m	<a href="http://www.wago.com/756-1503/060-050">www.wago.com/756-1503/060-050</a>
	<b>Item no.: 756-1503/060-100</b> System bus cable for drag chain; 5-pole; Length: 10 m	<a href="http://www.wago.com/756-1503/060-100">www.wago.com/756-1503/060-100</a>
	<b>Item no.: 756-1503/060-200</b> System bus cable for drag chain; 5-pole; Length: 20 m	<a href="http://www.wago.com/756-1503/060-200">www.wago.com/756-1503/060-200</a>
	<b>Item no.: 756-1504/060-020</b> System bus cable for drag chain; 5-pole; Length: 2 m	<a href="http://www.wago.com/756-1504/060-020">www.wago.com/756-1504/060-020</a>
	<b>Item no.: 756-1504/060-050</b> System bus cable for drag chain; 5-pole; Length: 5 m	<a href="http://www.wago.com/756-1504/060-050">www.wago.com/756-1504/060-050</a>
	<b>Item no.: 756-1504/060-100</b> System bus cable for drag chain; 5-pole; Length: 10 m	<a href="http://www.wago.com/756-1504/060-100">www.wago.com/756-1504/060-100</a>
	<b>Item no.: 756-1504/060-200</b> System bus cable for drag chain; 5-pole; Length: 20 m	<a href="http://www.wago.com/756-1504/060-200">www.wago.com/756-1504/060-200</a>
	<b>Item no.: 756-1505/060-002</b> System bus cable for drag chain; 5-pole; Length 0.2 m	<a href="http://www.wago.com/756-1505/060-002">www.wago.com/756-1505/060-002</a>
	<b>Item no.: 756-1505/060-003</b> System bus cable for drag chain; 5-pole; Length: 0.3 m	<a href="http://www.wago.com/756-1505/060-003">www.wago.com/756-1505/060-003</a>
	<b>Item no.: 756-1505/060-005</b> System bus cable for drag chain; 5-pole; Length: 0.5 m	<a href="http://www.wago.com/756-1505/060-005">www.wago.com/756-1505/060-005</a>
	<b>Item no.: 756-1505/060-010</b> System bus cable for drag chain; 5-pole; Length: 1 m	<a href="http://www.wago.com/756-1505/060-010">www.wago.com/756-1505/060-010</a>

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)














Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

This item has been discontinued and as of 30.09.2018, can no longer be delivered.



## Data sheet | Item number: 767-3802

[www.wago.com/767-3802](http://www.wago.com/767-3802)

	<b>Item no.: 756-1505/060-020</b> System bus cable for drag chain; 5-pole; Length: 2 m	<a href="http://www.wago.com/756-1505/060-020">www.wago.com/756-1505/060-020</a>
	<b>Item no.: 756-1505/060-050</b> System bus cable for drag chain; 5-pole; Length: 5 m	<a href="http://www.wago.com/756-1505/060-050">www.wago.com/756-1505/060-050</a>
	<b>Item no.: 756-1505/060-100</b> System bus cable for drag chain; 5-pole; Length: 10 m	<a href="http://www.wago.com/756-1505/060-100">www.wago.com/756-1505/060-100</a>
	<b>Item no.: 756-1505/060-200</b> System bus cable for drag chain; 5-pole; Length: 20 m	<a href="http://www.wago.com/756-1505/060-200">www.wago.com/756-1505/060-200</a>
	<b>Item no.: 756-1505/060-500</b> System bus cable for drag chain; 5-pole; Length: 50 m	<a href="http://www.wago.com/756-1505/060-500">www.wago.com/756-1505/060-500</a>
	<b>Item no.: 756-1506/060-002</b> System bus cable for drag chain; 5-pole; Length 0.2 m	<a href="http://www.wago.com/756-1506/060-002">www.wago.com/756-1506/060-002</a>
	<b>Item no.: 756-1506/060-003</b> System bus cable for drag chain; 5-pole; Length: 0.3 m	<a href="http://www.wago.com/756-1506/060-003">www.wago.com/756-1506/060-003</a>
	<b>Item no.: 756-1506/060-005</b> System bus cable for drag chain; 5-pole; Length: 0.5 m	<a href="http://www.wago.com/756-1506/060-005">www.wago.com/756-1506/060-005</a>
	<b>Item no.: 756-1506/060-010</b> System bus cable for drag chain; 5-pole; Length: 1 m	<a href="http://www.wago.com/756-1506/060-010">www.wago.com/756-1506/060-010</a>
	<b>Item no.: 756-1506/060-020</b> System bus cable for drag chain; 5-pole; Length: 2 m	<a href="http://www.wago.com/756-1506/060-020">www.wago.com/756-1506/060-020</a>
	<b>Item no.: 756-1506/060-050</b> System bus cable for drag chain; 5-pole; Length: 5 m	<a href="http://www.wago.com/756-1506/060-050">www.wago.com/756-1506/060-050</a>
	<b>Item no.: 756-1506/060-100</b> System bus cable for drag chain; 5-pole; Length: 10 m	<a href="http://www.wago.com/756-1506/060-100">www.wago.com/756-1506/060-100</a>
	<b>Item no.: 756-1506/060-200</b> System bus cable for drag chain; 5-pole; Length: 20 m	<a href="http://www.wago.com/756-1506/060-200">www.wago.com/756-1506/060-200</a>

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

This item has been discontinued and as of 30.09.2018, can no longer be delivered.



## Data sheet | Item number: 767-3802

[www.wago.com/767-3802](http://www.wago.com/767-3802)



**Item no.: 756-1506/060-500**  
System bus cable for drag chain; 5-pole; Length: 50 m

[www.wago.com/756-1506/060-500](http://www.wago.com/756-1506/060-500)



**Item no.: 756-3100/000-1000**  
Power cable; 4-pole; Length: 100 m

[www.wago.com/756-3100/000-1000](http://www.wago.com/756-3100/000-1000)



**Item no.: 756-3100/000-250**  
Power cable; 4-pole; Length: 25 m

[www.wago.com/756-3100/000-250](http://www.wago.com/756-3100/000-250)



**Item no.: 756-3100/000-500**  
Power cable; 4-pole; Length: 50 m

[www.wago.com/756-3100/000-500](http://www.wago.com/756-3100/000-500)



**Item no.: 756-3101/040-020**  
Power cable; 4-pole; Length: 2 m

[www.wago.com/756-3101/040-020](http://www.wago.com/756-3101/040-020)



**Item no.: 756-3101/040-050**  
Power cable; 4-pole; Length: 5 m

[www.wago.com/756-3101/040-050](http://www.wago.com/756-3101/040-050)



**Item no.: 756-3101/040-100**  
Power cable; 4-pole; Length: 10 m

[www.wago.com/756-3101/040-100](http://www.wago.com/756-3101/040-100)



**Item no.: 756-3101/040-200**  
Power cable; 4-pole; Length: 20 m

[www.wago.com/756-3101/040-200](http://www.wago.com/756-3101/040-200)



**Item no.: 756-3102/040-020**  
Power cable; 4-pole; Length: 2 m

[www.wago.com/756-3102/040-020](http://www.wago.com/756-3102/040-020)



**Item no.: 756-3102/040-050**  
Power cable; 4-pole; Length: 5 m

[www.wago.com/756-3102/040-050](http://www.wago.com/756-3102/040-050)



**Item no.: 756-3102/040-100**  
Power cable; 4-pole; Length: 10 m

[www.wago.com/756-3102/040-100](http://www.wago.com/756-3102/040-100)



**Item no.: 756-3102/040-200**  
Power cable; 4-pole; Length: 20 m

[www.wago.com/756-3102/040-200](http://www.wago.com/756-3102/040-200)



**Item no.: 756-3103/040-020**  
Power cable; 4-pole; Length: 2 m

[www.wago.com/756-3103/040-020](http://www.wago.com/756-3103/040-020)

**Item no.: 756-3103/040-050**

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)














Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

This item has been discontinued and as of 30.09.2018, can no longer be delivered.



## Data sheet | Item number: 767-3802

[www.wago.com/767-3802](http://www.wago.com/767-3802)

	Power supply cable, straight; 5 m; fitted on one end; A-coded; M12 plug, straight; one free cable end; gray	<a href="http://www.wago.com/756-3103/040-050">www.wago.com/756-3103/040-050</a>
	<b>Item no.: 756-3103/040-100</b> Power cable; 4-pole; Length: 10 m	<a href="http://www.wago.com/756-3103/040-100">www.wago.com/756-3103/040-100</a>
	<b>Item no.: 756-3103/040-200</b> Power cable; 4-pole; Length: 20 m	<a href="http://www.wago.com/756-3103/040-200">www.wago.com/756-3103/040-200</a>
	<b>Item no.: 756-3104/040-020</b> Power cable; 4-pole; Length: 2 m	<a href="http://www.wago.com/756-3104/040-020">www.wago.com/756-3104/040-020</a>
	<b>Item no.: 756-3104/040-050</b> Power cable; 4-pole; Length: 5 m	<a href="http://www.wago.com/756-3104/040-050">www.wago.com/756-3104/040-050</a>
	<b>Item no.: 756-3104/040-100</b> Power cable; 4-pole; Length: 10 m	<a href="http://www.wago.com/756-3104/040-100">www.wago.com/756-3104/040-100</a>
	<b>Item no.: 756-3104/040-200</b> Power cable; 4-pole; Length: 20 m	<a href="http://www.wago.com/756-3104/040-200">www.wago.com/756-3104/040-200</a>
	<b>Item no.: 756-3105/040-002</b> Power cable; 4-pole; Length 0.2 m	<a href="http://www.wago.com/756-3105/040-002">www.wago.com/756-3105/040-002</a>
	<b>Item no.: 756-3105/040-003</b> Power cable; 4-pole; Length: 0.3 m	<a href="http://www.wago.com/756-3105/040-003">www.wago.com/756-3105/040-003</a>
	<b>Item no.: 756-3105/040-005</b> Power cable; 4-pole; Length: 0.5 m	<a href="http://www.wago.com/756-3105/040-005">www.wago.com/756-3105/040-005</a>
	<b>Item no.: 756-3105/040-010</b> Power cable; 4-pole; Length: 1 m	<a href="http://www.wago.com/756-3105/040-010">www.wago.com/756-3105/040-010</a>
	<b>Item no.: 756-3105/040-020</b> Power cable; 4-pole; Length: 2 m	<a href="http://www.wago.com/756-3105/040-020">www.wago.com/756-3105/040-020</a>
	<b>Item no.: 756-3105/040-030</b> Power cable; 4-pole; Length: 3 m	<a href="http://www.wago.com/756-3105/040-030">www.wago.com/756-3105/040-030</a>

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

This item has been discontinued and as of 30.09.2018, can no longer be delivered.



## Data sheet | Item number: 767-3802

[www.wago.com/767-3802](http://www.wago.com/767-3802)



**Item no.: 756-3105/040-050**  
Power cable; 4-pole; Length: 5 m

[www.wago.com/756-3105/040-050](http://www.wago.com/756-3105/040-050)



**Item no.: 756-3105/040-070**  
Power cable; 4-pole; Length: 7 m

[www.wago.com/756-3105/040-070](http://www.wago.com/756-3105/040-070)



**Item no.: 756-3105/040-100**  
Power cable; 4-pole; Length: 10 m

[www.wago.com/756-3105/040-100](http://www.wago.com/756-3105/040-100)



**Item no.: 756-3105/040-200**  
Power cable; 4-pole; Length: 20 m

[www.wago.com/756-3105/040-200](http://www.wago.com/756-3105/040-200)



**Item no.: 756-3106/040-002**  
Power cable; 4-pole; Length 0.2 m

[www.wago.com/756-3106/040-002](http://www.wago.com/756-3106/040-002)



**Item no.: 756-3106/040-003**  
Power cable; 4-pole; Length: 0.3 m

[www.wago.com/756-3106/040-003](http://www.wago.com/756-3106/040-003)



**Item no.: 756-3106/040-005**  
Power cable; 4-pole; Length: 0.5 m

[www.wago.com/756-3106/040-005](http://www.wago.com/756-3106/040-005)



**Item no.: 756-3106/040-010**  
Power cable; 4-pole; Length: 1 m

[www.wago.com/756-3106/040-010](http://www.wago.com/756-3106/040-010)



**Item no.: 756-3106/040-020**  
Power cable; 4-pole; Length: 2 m

[www.wago.com/756-3106/040-020](http://www.wago.com/756-3106/040-020)



**Item no.: 756-3106/040-030**  
Power cable; 4-pole; Length: 3 m

[www.wago.com/756-3106/040-030](http://www.wago.com/756-3106/040-030)



**Item no.: 756-3106/040-050**  
Power cable; 4-pole; Length: 5 m

[www.wago.com/756-3106/040-050](http://www.wago.com/756-3106/040-050)



**Item no.: 756-3106/040-070**  
Power cable; 4-pole; Length: 7 m

[www.wago.com/756-3106/040-070](http://www.wago.com/756-3106/040-070)



**Item no.: 756-3106/040-100**  
Power cable; 4-pole; Length: 10 m

[www.wago.com/756-3106/040-100](http://www.wago.com/756-3106/040-100)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

This item has been discontinued and as of 30.09.2018, can no longer be delivered.



## Data sheet | Item number: 767-3802

[www.wago.com/767-3802](http://www.wago.com/767-3802)



**Item no.: 756-3106/040-200**  
Power cable; 4-pole; Length: 20 m

[www.wago.com/756-3106/040-200](http://www.wago.com/756-3106/040-200)



**Item no.: 756-5311/040-015**  
Sensor/Actuator cable; 4-pole; Length: 1.5 m

[www.wago.com/756-5311/040-015](http://www.wago.com/756-5311/040-015)



**Item no.: 756-5311/040-050**  
Sensor/Actuator cable; 4-pole; Length: 5 m

[www.wago.com/756-5311/040-050](http://www.wago.com/756-5311/040-050)



**Item no.: 756-5311/040-100**  
Sensor/Actuator cable; 4-pole; Length: 10 m

[www.wago.com/756-5311/040-100](http://www.wago.com/756-5311/040-100)



**Item no.: 756-5312/040-015**  
Sensor/Actuator cable; 4-pole; Length: 1.5 m

[www.wago.com/756-5312/040-015](http://www.wago.com/756-5312/040-015)



**Item no.: 756-5312/040-050**  
Sensor/Actuator cable; 4-pole; Length: 5 m

[www.wago.com/756-5312/040-050](http://www.wago.com/756-5312/040-050)



**Item no.: 756-5312/040-100**  
Sensor/Actuator cable; 4-pole; Length: 10 m

[www.wago.com/756-5312/040-100](http://www.wago.com/756-5312/040-100)



**Item no.: 756-5401/040-010**  
Sensor/Actuator cable; 4-pole; Length: 1 m

[www.wago.com/756-5401/040-010](http://www.wago.com/756-5401/040-010)



**Item no.: 756-5401/040-020**  
Sensor/Actuator cable; 4-pole; Length: 2 m

[www.wago.com/756-5401/040-020](http://www.wago.com/756-5401/040-020)



**Item no.: 756-5402/040-010**  
Sensor/Actuator cable; 4-pole; Length: 1 m

[www.wago.com/756-5402/040-010](http://www.wago.com/756-5402/040-010)



**Item no.: 756-5402/040-020**  
Sensor/Actuator cable; 4-pole; Length: 2 m

[www.wago.com/756-5402/040-020](http://www.wago.com/756-5402/040-020)



**Item no.: 756-5403/040-010**  
Sensor/Actuator cable; 4-pole; Length: 1 m

[www.wago.com/756-5403/040-010](http://www.wago.com/756-5403/040-010)



**Item no.: 756-5403/040-020**  
Sensor/Actuator cable; 4-pole; Length: 2 m

[www.wago.com/756-5403/040-020](http://www.wago.com/756-5403/040-020)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)














Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

This item has been discontinued and as of 30.09.2018, can no longer be delivered.



## Data sheet | Item number: 767-3802

[www.wago.com/767-3802](http://www.wago.com/767-3802)

	<b>Item no.: 756-5404/040-010</b> Sensor/Actuator cable; 4-pole; Length: 1 m	<a href="http://www.wago.com/756-5404/040-010">www.wago.com/756-5404/040-010</a>
	<b>Item no.: 756-5404/040-020</b> Sensor/Actuator cable; 4-pole; Length: 2 m	<a href="http://www.wago.com/756-5404/040-020">www.wago.com/756-5404/040-020</a>
	<b>Item no.: 756-5507/040-010</b> Sensor/Actuator cable; 4-pole; Length: 1 m	<a href="http://www.wago.com/756-5507/040-010">www.wago.com/756-5507/040-010</a>
	<b>Item no.: 756-5507/040-020</b> Sensor/Actuator cable; 4-pole; Length: 2 m	<a href="http://www.wago.com/756-5507/040-020">www.wago.com/756-5507/040-020</a>
	<b>Item no.: 756-5508/040-010</b> Sensor/Actuator cable; 4-pole; Length: 1 m	<a href="http://www.wago.com/756-5508/040-010">www.wago.com/756-5508/040-010</a>
	<b>Item no.: 756-5508/040-020</b> Sensor/Actuator cable; 4-pole; Length: 2 m	<a href="http://www.wago.com/756-5508/040-020">www.wago.com/756-5508/040-020</a>
	<b>Item no.: 756-5509/040-010</b> Sensor/Actuator cable; 4-pole; Length: 1 m	<a href="http://www.wago.com/756-5509/040-010">www.wago.com/756-5509/040-010</a>
	<b>Item no.: 756-5509/040-020</b> Sensor/Actuator cable; 4-pole; Length: 2 m	<a href="http://www.wago.com/756-5509/040-020">www.wago.com/756-5509/040-020</a>
	<b>Item no.: 756-5510/040-010</b> Sensor/Actuator cable; 4-pole; Length: 1 m	<a href="http://www.wago.com/756-5510/040-010">www.wago.com/756-5510/040-010</a>
	<b>Item no.: 756-5510/040-020</b> Sensor/Actuator cable; 4-pole; Length: 2 m	<a href="http://www.wago.com/756-5510/040-020">www.wago.com/756-5510/040-020</a>
	<b>Item no.: 756-5513/040-010</b> Sensor/Actuator cable; 4-pole; Length: 1 m	<a href="http://www.wago.com/756-5513/040-010">www.wago.com/756-5513/040-010</a>
	<b>Item no.: 756-5513/040-020</b> Sensor/Actuator cable; 4-pole; Length: 2 m	<a href="http://www.wago.com/756-5513/040-020">www.wago.com/756-5513/040-020</a>
	<b>Item no.: 756-5514/040-010</b> Sensor/Actuator cable; 4-pole; Length: 1 m	<a href="http://www.wago.com/756-5514/040-010">www.wago.com/756-5514/040-010</a>

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



This item has been discontinued and as of 30.09.2018, can no longer be delivered.



## Data sheet | Item number: 767-3802

[www.wago.com/767-3802](http://www.wago.com/767-3802)



**Item no.: 756-5514/040-020**  
Sensor/Actuator cable; 4-pole; Length: 2 m

[www.wago.com/756-5514/040-020](http://www.wago.com/756-5514/040-020)



**Item no.: 756-5516/040-010**  
Sensor/Actuator cable; 4-pole; Length: 1 m

[www.wago.com/756-5516/040-010](http://www.wago.com/756-5516/040-010)



**Item no.: 756-5516/040-020**  
Sensor/Actuator cable; 4-pole; Length: 2 m

[www.wago.com/756-5516/040-020](http://www.wago.com/756-5516/040-020)



**Item no.: 756-5517/040-010**  
Sensor/Actuator cable; 4-pole; Length: 1 m

[www.wago.com/756-5517/040-010](http://www.wago.com/756-5517/040-010)



**Item no.: 756-5517/040-020**  
Sensor/Actuator cable; 4-pole; Length: 2 m

[www.wago.com/756-5517/040-020](http://www.wago.com/756-5517/040-020)



**Item no.: 756-9201/040-000**  
Accessories; 4-pole

[www.wago.com/756-9201/040-000](http://www.wago.com/756-9201/040-000)



**Item no.: 756-9202/040-000**  
Accessories; 4-pole

[www.wago.com/756-9202/040-000](http://www.wago.com/756-9202/040-000)



**Item no.: 756-9203/040-000**  
Accessories; 4-pole

[www.wago.com/756-9203/040-000](http://www.wago.com/756-9203/040-000)



**Item no.: 756-9204/040-000**  
Accessories; 4-pole

[www.wago.com/756-9204/040-000](http://www.wago.com/756-9204/040-000)



**Item no.: 756-9205/040-000**  
Accessories; 4-pole

[www.wago.com/756-9205/040-000](http://www.wago.com/756-9205/040-000)



**Item no.: 756-9206/040-000**  
Accessories; 4-pole

[www.wago.com/756-9206/040-000](http://www.wago.com/756-9206/040-000)



**Item no.: 756-9213/040-000**  
Accessories; 4-pole

[www.wago.com/756-9213/040-000](http://www.wago.com/756-9213/040-000)



**Item no.: 756-9216/040-000**  
Accessories; 4-pole

[www.wago.com/756-9216/040-000](http://www.wago.com/756-9216/040-000)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)





Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

This item has been discontinued and as of 30.09.2018, can no longer be delivered.









## Data sheet | Item number: 767-3802



[www.wago.com/767-3802](http://www.wago.com/767-3802)

	<b>Item no.: 756-9301/040-000</b> Accessories; 4-pole	<a href="http://www.wago.com/756-9301/040-000">www.wago.com/756-9301/040-000</a>
	<b>Item no.: 756-9301/050-000</b> Accessories; 5-pole	<a href="http://www.wago.com/756-9301/050-000">www.wago.com/756-9301/050-000</a>
	<b>Item no.: 756-9404/060-000</b> Accessories; 5-pole; M12 socket, right angle	<a href="http://www.wago.com/756-9404/060-000">www.wago.com/756-9404/060-000</a>
	<b>Item no.: 756-9411/060-000</b> Accessories; 5-pole; M12 plug, axial	<a href="http://www.wago.com/756-9411/060-000">www.wago.com/756-9411/060-000</a>
	<b>Item no.: 756-9412/060-000</b> Accessories; 5-pole; M12 socket, straight	<a href="http://www.wago.com/756-9412/060-000">www.wago.com/756-9412/060-000</a>
	<b>Item no.: 756-9413/060-000</b> Accessories; 5-pole; M12 plug, right angle	<a href="http://www.wago.com/756-9413/060-000">www.wago.com/756-9413/060-000</a>
	<b>Item no.: 756-9414/060-000</b> Accessories; 5-pole; M12 socket, right angle	<a href="http://www.wago.com/756-9414/060-000">www.wago.com/756-9414/060-000</a>

### General accessories

	<b>Item no.: 756-8102</b> M12 protective cap; for unused sockets; -	<a href="http://www.wago.com/756-8102">www.wago.com/756-8102</a>
	<b>Item no.: 756-8103</b> M12 protective cap; for unused plugs; -	<a href="http://www.wago.com/756-8103">www.wago.com/756-8103</a>
	<b>Item no.: 756-8302</b> Securing clip; M12	<a href="http://www.wago.com/756-8302">www.wago.com/756-8302</a>
	<b>Item no.: 767-111</b> Spacer module; -	<a href="http://www.wago.com/767-111">www.wago.com/767-111</a>
	<b>Item no.: 767-122</b> Carrier rail adapter; for I/O module and power divider	<a href="http://www.wago.com/767-122">www.wago.com/767-122</a>
	<b>Item no.: 767-124</b> Profile adapter; for I/O module and power divider	<a href="http://www.wago.com/767-124">www.wago.com/767-124</a>

### Marking accessories

	<b>Item no.: 210-110</b> Fiber-tip pen	<a href="http://www.wago.com/210-110">www.wago.com/210-110</a>
	<b>Item no.: 757-901/000-050</b> Marking strips; on reel; not stretchable; plain; snap-on type; white	<a href="http://www.wago.com/757-901/000-050">www.wago.com/757-901/000-050</a>

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

This item has been discontinued and as of 30.09.2018, can no longer be delivered.



## Data sheet | Item number: 767-3802

[www.wago.com/767-3802](http://www.wago.com/767-3802)

**Item no.: 767-102**  
Marking strips; white

[www.wago.com/767-102](http://www.wago.com/767-102)

### Downloads

#### Documentation

##### Manual

Digital input module 24VDC, 8 inputs (4 x M12, two outputs per connector)	V 3.1.0	pdf 4.6 MB	Download
--	---------	---------------	----------

System Description	V 1.0.0	pdf 2.1 MB	Download
--------------------	---------	---------------	----------

##### Instruction Leaflet

WAGO-SPEEDWAY 767 Gebrauchs- und Montageanleitung	V 1.0.0	pdf 2.3 MB	Download
--	---------	---------------	----------

##### Additional Information

Disposal; Electrical and electronic equipment, Packaging	V 1.0.0	pdf 265.8 kB	Download
--	---------	-----------------	----------

##### System Description

I/O-SYSTEM – SPEEDWAY, General Product Information		pdf 1.1 MB	Download
--	--	---------------	----------

### CAD/CAE-Data

#### CAD data

2D/3D Models 767-3802		URL	Download
-----------------------	--	-----	----------

#### CAE data

EPLAN Data Portal 767-3802		URL	Download
----------------------------	--	-----	----------

WSCAD Universe 767-3802		URL	Download
-------------------------	--	-----	----------

### Device Files

#### Device Driver

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

This item has been discontinued and as of 30.09.2018, can no longer be delivered.



## Data sheet | Item number: 767-3802

[www.wago.com/767-3802](http://www.wago.com/767-3802)

WAGO SPEEDWAY DTM / Serie 767	3.4.0.2 Sep 11, 2013	exe 22.8 MB	Download
WAGO Service-Interface DTM / Serie 767 und 857 (zur Kommunikation mit der Serie 857 + 767)	3.2.2.26 Jun 21, 2013	exe 1.5 MB	Download
WAGO USB Service Kabel Treiber / Serie 767	1.3.3.48 Mar 30, 2012	zip 3.8 MB	Download
WAGO TCP Service Interface DTM	1.1.4.8 Jun 21, 2013	exe 25.0 MB	Download

## Installation Notes

### Product family

#### 767 Series – I/O System

Messen, Steuern, Regeln und Überwachen bei zweistelligen Minusgraden, dauerhaften Vibrationen und harten Stößen, umgeben von Schmutz, Staub und Wasser: Das IP67-I/O-System SPEEDWAY 767 ist mit Feldbuskopplern und I/O-Modulen optimal auf die robuste, schaltschranklose Automation abgestimmt.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.