


# Data sheet | Item number: 770-629/102-000

# 2-channel radio receiver; with sunblind outputs; 1 input; 2 outputs; Coding A

www.wago.com/770-629\_102-000



#### Item description

#### Note on mismating protection:

All WINSTA  $^\circ$  components are 100% protected against mismating in terms of:

- a.) plugging different number of poles
- b.) plugging when turned by 180°
- c.) plugging when laterally staggered
- d.) plugging one pole

# Data Electrical data

Note on Contact Resistance

ca. 1 m $\Omega$  Durchgangswiderstandca. 0,25 m $\Omega$  Kontaktübergang Stecker/Buchse

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222. Data sheet | Item number: 770-629/102-000

www.wago.com/770-629\_102-000



#### Ratings per IEC/EN 60664-1

Legend (ratings)	

## Approvals per UL 1977

Rated voltage per UL 1977 (factory wiring only)	600 V
Rated current per UL 1977 (factory wiring only)	23 A

#### **Geometrical Data**

Width	190 mm / 7.48 inch
Height	30 mm / 1.181 inch
Depth	145 mm / 5.709 inch

#### Mechanical data

Type of mounting	Wall screw adapter Secured to mounting plate
Protection class	IP20
Note on protection class	Only in mated condition (These compact connectors are not designed for use in open, easily accessible areas.)

## **Plug connection**

Mismating protection	Yes
Locking of plug-in connection	locking lever

## Material Data

Insulating material	Polyamide 66 (PA 66)
Contact material	Copper or copper alloy, surface-treated
Weight	387.9 g

#### **Environmental Requirements**

Processing temperature	-5 +40 °C
Continuous operating temperature	-35 +85 °C
Note on Continuous Service Temperature	Insulating parts for temperatures ≤ 105 °C

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222. Data sheet | Item number: 770-629/102-000

www.wago.com/770-629\_102-000



## **Commercial data**

Product Group	20 (WINSTA)
Packaging type	BOX
Country of origin	DE
GTIN	4044918937559
Customs Tariff No.	85366990990

# Counterpart

CAE data	Downloads CAD/CAE-Data		
	CAE data		
EPLAN Data Portal 770-629/102-000 URL Download	EPLAN Data Portal 770-629/102-000	URL	Download

#### Installation Notes

#### Installation



Securing the mounting plate with WINSTA<sup>®</sup> Distribution Box to the wall (e.g., via stud gun).

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.