



## Data

### Electrical data

Note on contact resistance

approx. 1m $\Omega$  contact resistance approx. 0.25m $\Omega$  contact transition  
plug/socket

Subject to changes. Please also observe the further product documentation!

WAGO Corporation  
Germantown, WI 53022  
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222  
Email: [info.us@wago.com](mailto:info.us@wago.com) | Web: [www.wago.us](http://www.wago.us)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## IEC Approvals

Legend (ratings)

(III / 3)  $\triangleq$  Overvoltage category III / Pollution degree 3

## Ratings per UL

Rated voltage (UL 1977)

600 V

Rated current UL 1977

23 A

## Physical data

Width

190 mm / 7.48 inch

Height

30 mm / 1.181 inch

## Mechanical data

Mounting type

Wall screw adapter  
Secured to mounting plate

## Plug-in connection

Mismating protection

Yes

Locking of plug-in connection

locking lever

## Material data

Insulation material

Polyamide 66 (PA 66)

Contact material

Copper or copper alloy, surface-treated

Fire load

77.594 MJ

Weight

365.9 g

## Environmental requirements

Processing temperature

-5 ... +40 °C

Continuous operating temperature

-35 ... +85 °C

Note on continuous operating temperature

Insulating parts for temperatures  $\leq 105$  °C

## Commercial data

PU (SPU)

1 Stück

Country of origin VKOrg Germany

DE

GTIN

4044918856911

Subject to changes. Please also observe the further product documentation!

WAGO Corporation  
Germantown, WI 53022  
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222  
Email: [info.us@wago.com](mailto:info.us@wago.com) | Web: [www.wago.us](http://www.wago.us)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Installation Notes



Securing the mounting plate with WINSTA<sup>®</sup>  
Distribution Box to the wall (e.g., via stud gun).

Subject to changes. Please also observe the further product documentation!

---

WAGO Corporation  
Germantown, WI 53022  
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222  
Email: [info.us@wago.com](mailto:info.us@wago.com) | Web: [www.wago.us](http://www.wago.us)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.