

Data sheet | Item number: 780-458

Staggered jumper; insulated; from 1 to 8; Spacing: 5 mm; suitable for 2-conductor female plugs; gray

www.wago.com/780-458



Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Data

Electrical data

Ratings per IEC/EN 60664-1

Rated voltage (III / 3)	400 V
Rated impulse voltage (III / 3)	6 kV
Rated current	24 A

Connection data

Width of staggered jumper	1 to 8
---------------------------	--------

Geometrical Data

Width	34.5 mm / 1.358 inch
Depth	6 mm / 0.236 inch

Material Data

Color	gray
Fire load	0.024 MJ
Weight	2.7 g

Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4044918271097
Customs Tariff No.	85366990990

Counterpart

Downloads

Documentation

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.

Bid Text

780-458 doc - Datei	Apr 28, 2017	doc 24.6 kB	Download
780-458 GAEB X81 - Datei	Feb 19, 2019	xml 3.0 kB	Download
Additional Information Technical explanations	Apr 3, 2019	pdf 2.1 MB	Download

CAD/CAE-Data

CAD data


2D/3D Models 780-458	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 780-458	URL	Download
------------------------	-----	----------

Installation Notes

Jumpered



Staggered jumpers for sophisticated circuit requirements – push jumpers down until fully inserted.

Staggered jumpers for sophisticated circuit requirements – push jumpers down until fully inserted.

Subject to changes. Please also observe the further product documentation!