




Data sheet | Item number: 788-186


Basic relay; Nominal input voltage: 48 VDC; 1 changeover contact

www.wago.com/788-186



RoHS
Compliant

BOMcheck.net




Subject to changes. Please also observe the further product documentation!



Data sheet | Item number: 788-186

www.wago.com/788-186



Data

Technical Data

Control circuit

Nominal input voltage U_N	DC 48 V
-----------------------------	---------

Load circuit:

Number of changeover/switchover contacts	1
Contact material (relay)	AgCdO
Limiting continuous current	16 A
Max. switching voltage	AC 250 V
Max. switching power (resistive)	AC 4000 VA
Pull-in time (typ.)	9 ms
Drop-out time (typ.)	3 ms

Safety and protection:

Dielectric strength, control/load circuit (AC, 1 min)	5 kVrms
Dielectric strength open contact (AC, 1 min)	1 kVrms
Protection class	IP40

Geometrical Data

Width	12.7 mm / 0.5 inch
-------	--------------------

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Data sheet | Item number: 788-186

www.wago.com/788-186

Height from the surface	25.5 mm / 1.004 inch
Depth	29 mm / 1.142 inch

Mechanical data

Type of mounting	Pluggable module
------------------	------------------

Material Data

Weight	17 g
--------	------

Environmental Requirements

Surrounding air (operating) temperature at U_N	-40 ... 85 °C
Surrounding air (storage) temperature	-40 ... 85 °C

Standards and specifications

Standards/specifications	EN 61810-1
--------------------------	------------

Commercial data

Product Group	6 (Interface Electronics)
Packaging type	BOX
Country of origin	DE
GTIN	4044918937641
Customs Tariff No.	85364900990

Counterpart

Downloads

Documentation

Additional Information

Disposal; Electrical and electronic equipment, Packaging	V 1.0.0	pdf 265.8 kB	Download
--	---------	-----------------	----------

CAD/CAE-Data

CAE data

WSCAD Universe 788-186

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

This item has been discontinued and as of 24.09.2018, can no longer be delivered.



URL

Download

Data sheet | Item number: 788-186

www.wago.com/788-186
~~www.wago.com/788-186~~

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.