WMB marking card; as card; MARKED; 81 ... 90 (10x); not stretchable; Horizontal marking; snap-on type; red

www.wago.com/793-572_000-005



Data

Technical Data

Marking	81 ... 90
Aufdruck_Anzahl	10
Printing direction	Horizontal marking
Color of marking	black
Marking type	Digits
Darstellung des Aufdrucks	consecutive numbers per strip
Units per delivery form	10 strips with 10 markers per card

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Geometrical Data

Marker/Strip width	5 mm
Marker width	5 mm

Material Data

Color	red
Weight	9 g
Fire load	0.27 MJ

Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4045454000493
Customs Tariff No.	49119900000

Counterpart

Installation Notes

Application



Separating a strip from the WMB marker card.

Stretching a WMB marker strip.

Separating an individual marker from the WMB marker strip – for larger terminal blocks.

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Snapping a marking strip into the marker slot.

Marking

Snapping a WMB marker strip into the marker slot of the double marker carrier.

Snapping a marking strip into the marker slot.

Product family

WMB Multi marking system
Show all products from the family

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.