

Data sheet | Item number: 890-111

Locking lever; for flying leads; for tool operation; black

www.wago.com/890-111



Data

Connection data

Actuation type

Operating tool

Mechanical data

Suitable

for flying leads; tool operated

Material Data

Color	black
Insulating material	Polyamide 66 (PA 66)
Flammability class per UL94	V0
Fire load	0.011 MJ
Weight	0.4 g

Environmental Requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on Continuous Service Temperature	Insulating parts for temperatures \leq 105 °C

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com


Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Commercial data

Product Group	20 (WINSTA)
Packaging type	BOX
Country of origin	DE
GTIN	4045454232887
Customs Tariff No.	85366990990

Approvals / Certificates

Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	LR Lloyds Register	EN 61535	08/20047 (E2)

Counterpart

Downloads

Documentation

Bid Text

890-111 doc - Datei	Nov 20, 2014	doc 22.0 kB	Download
890-111 GAEB X81 - Datei	Feb 19, 2019	xml 2.7 kB	Download

CAD/CAE-Data

CAD data

2D/3D Models 890-111	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 890-111	URL	Download
------------------------	-----	----------

Subject to changes. Please also observe the further product documentation!



Installation Notes

Product family

WINSTA® MINI

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!