
Mounting carrier; for 243 series connectors (6); orange

www.wago.com/243-113





# Item description Quick Fix Mounting

Finding that the MICRO PUSH WIRE® Connectors for Junction Boxes are ideal for DIN-rail-mount panel applications, electrical installers have requested the ability to use them in distribution panels. These connectors provide easy connections for smaller conductors used in low-current applications. They are well-suited to terminating telephone-style conductors for connecting alarms, bells, door sensors, communication systems and more.

The mounting carrier is WAGO's professional solution. It is available with mounting slots for 4 or 6 connectors.

Depending on the number of conductors, each mounting slot can accommodate a 4- or 8-conductor MICRO PUSH WIRE® Junction Box Connector. The connectors simply snap into the mounting slots and are removable, allowing conductors to be exchanged during changeover.

The carrier is designed for easy mounting directly to the DIN-35 rail, or to a panel, via the screw-mount flanges provided on both sides. A large marking area for direct marking with a permanent felt-tip pen or for pre-printed, self-adhesive marking strips is provided for clear circuit identification.

### Data

### Mechanical data

Mounting type DIN-35 rail

Subject to changes. Please also observe the further product documentation!

WAGO Corporation Germantown, WI 53022

Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222

Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/243-113



	Screw mount
Suitable	for 6 connectors

#### Material data

Color	orange
Fire load	0.08 MJ
Weight	2.6 g

### Commercial data

Product Group	7 (Push Wire Conn.)	
PU (SPU)	50 (10) Stück	
Packaging type	box	
Country of origin	DE	
GTIN	4017332335492	
Customs tariff number	3926909985	

# Optional accessories

# Marking accessories

Marking strip



Item no.: 210-833

Marking strips; 25 m on roll; 6 mm wide; plain; Self-adhesive; white

www.wago.com/210-833

# Downloads Documentation

### **Bid Text**

243-113 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download
243-113 doc - Datei	2017 May 19	doc 24.1 kB	Download
Additional Information			
Technical explanations		pdf 2.2 MB	Download

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

**WAGO** Corporation

Germantown, WI 53022

Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222

Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/243-113



#### **CAD files**

$C \wedge E$	data
CAE	: uata

WSCAD Universe 243-113	URL	Download
ZUKEN Portal 243-113	URL	Download
EPLAN Data Portal 243-113	URL	Download
CAD data		
2D/3D Models 243-113	URL	Download

# **Environmental Product Compliance**

### Compliance Search

Environmental Product Compliance 243-113

Mounting carrier; for 6 connectors; 243 Series; for DIN-35 rail mounting/screw
mounting; orange

### **Installation Notes**



Inserting a MICRO junction box connector into the mounting carrier.

Removing a mounting carrier from the assembly.

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO Corporation Germantown, WI 53022 Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222 Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Email: info.us@wago.com | Web: www.wago.us

www.wago.com/243-113



Typical application in a terminal box for burglar alarm

- screw-mounted carrier

Example of a residential door bell application 
Example of a residential intercom application

- carriers mounted on a DIN-35 rail

Subject to changes. Please also observe the further product documentation!

**WAGO** Corporation Germantown, WI 53022

Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222

Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.