



## Item description

### Print-out preparation

First, insert the label cartridge. To do this, open the cover on the device and insert the cartridge as shown. Ensure that the cartridge visibly and audibly locks into place. The two blue catches must latch on to the top edge of the cartridge. Then close the cover.

Turn the unit on. A query will appear in the display about setting the material width. Select your current label width and confirm it with "OK." The unit is now ready for use.

Note: You can also work with the unit while it is charging.

Please use the latest driver.

**Download:** [www.wago.com](http://www.wago.com) under SERVICE / Download / ProServe

Subject to changes. Please also observe the further product documentation!



## Data

### Technical Data

Resolution [dpi]	180 dpi
Memory	1000 labels (1 MB)
Tape sizes	9 mm, 11 mm, 19 mm, 24 mm (other sizes upon request)
Tape styles	Permanent polyester, flexible nylon, vinyl, heat shrink tube
Keyboard style	ABC
Tape cutter	yes
Shock protection	yes
Barcodes	yes (e.g., Code 39, Code 128, EAN 8 + 13)
Number of font styles	4
Number of font sizes	7
Number of printed lines	5
Print preview	yes
PC connection	USB
Battery charge indicator	yes
Operating time	8 hours
Display	65 x 35 mm

### Geometrical Data

Height	245.1 mm / 9.65 inch
Width	124.9 mm / 4.917 inch
Depth	65 mm / 2.559 inch

### Material Data

Weight	3500 g
--------	--------

### Commercial data

Product Group	14 (Tools)
Packaging type	BOX
Country of origin	CN
GTIN	4050821075691
Customs Tariff No.	84716070000

### Counterpart

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.