



Item description

Function:

"OPC Unified Architecture" (OPC UA) is a platform-independent and service-oriented architecture. It is used to describe and transport data. Because the services are independent, devices from different manufacturers can be interconnected.

The OPC UA server can release PFC200 Series, Touch Panel 600 and Edge Controller runtime data to a product in the network when it meets the required preconditions. The device must have an ETHERNET interface that can be used for communication and have the memory capacity and processing time required by the server.

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



The "OPC UA Server Extended" license activates an extended range of functions for the OPC UA server.

Extended functional range:

Mapping the "PLCopen" information model to any other information model.

By default, WAGO controllers use the "PLCopen" information model to provide data for other applications. The OPC UA Mapping Editor can be used to map this information model to any other OPC UA model, for example, to OPC UA base models such as "Robotics" or "Euro-map77".

To use other, arbitrary information models, it is necessary to equip the device with a license.

Mapping to other, arbitrary information models is performed via the WAGO OPC UA Mapping Editor.

Benefits:

Mapping the "PLCopen" information model to any other information models

Data

System requirements

Other required software	<i>e!COCKPIT</i> version: V1.9
-------------------------	--------------------------------

Software data

Supported devices	750-821x: Controller PFC200; G2 750-821x/000-040: Controller PFC200; G2; XTR
-------------------	---

Delivery

Delivery type	License certificate per email
License type (note)	Single license allows installation on one device. One license per device is required.
License type (note) (2)	A PC with both Internet connection and <i>e!COCKPIT</i> may be required for license activation.

Commercial data

PU (SPU)	1 Pieces
GTIN	4066966189346
Customs tariff number VKOrg Germany	88888888888

Downloads

Documentation

System Description

Software – General Product Information pdf [Download](#)

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



377.6 kB

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2759-2233/211-1000	URL	Download
e!RUNTIME; OPC UA Server Extended; 300; Single License; Online Activation		

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.