Data sheet | Item number: 282-882

Locking cover; mechanically locks multiple links; 2-pole; transparent

www.wago.com/282-882





Material Data

Color	transparent
Fire load	0.053 MJ
Weight	1.1 g

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 282-882

www.wago.com/282-882



Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
Packaging type	BOX
Country of origin	DE
GTIN	4017332283182
Customs Tariff No.	39269097900

Counterpart

Downloads

Documentation

Bid Text

282-882 X81 - Datei	Feb 19, 2019	xml 2.6 kB	Download
282-882 doc - Datei	Mar 3, 2017	doc 24.1 kB	Download
Additional Information Technical explanations	Apr 3, 2019	pdf 2.1 MB	Download

CAD/CAE-Data

CAD data

2D/3D Models 282-882	URL	Download
CAE data		
WSCAD Universe 282-882	URL	Download

Installation Notes

Locking

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27

32423 Minden


Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 282-882

www.wago.com/282-882









Snapping a transparent locking cover onto 1–8 disconnect links:

a) Mechanically lock several links for multipole switching applications a) Mechanically lock several links for multipole switching applications

b) Protect markers

b) Protect markers

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.