Data sheet | Item number: 282-884

Locking cover; mechanically locks multiple links; 4-pole; transparent

www.wago.com/282-884





Data Material Data

Color	transparent
Fire load	0.068 MJ
Weight	2.3 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
Packaging type	BOX
Country of origin	DE
GTIN	4017332283205

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Customs Tariff No. 39269097900

Counterpart

Downloads Documentation

Bid Text

282-884 X81 - Datei	Feb 19, 2019	xml 2.6 kB	Download
282-884	Mar 3, 2017	doc	Download
doc - Datei		24.1 kB	
Additional Information			
Technical explanations	Apr 3, 2019	pdf 2.1 MB	Download

CAD/CAE-Data

CAD data

2D/3D Models 282-884	URL	Download
CAE data		
WSCAD Universe 282-884	URL	Download

Installation Notes

Locking

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden


Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 282-884

www.wago.com/282-884









Snapping a transparent locking cover onto 1–8 disconnect links:

a) Mechanically lock several links for multipole switching applications

a) Mechanically lock several links for multipole switching applications

b) Protect markers

b) Protect markers

Subject to changes. Please also observe the further product documentation!

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.