
This item has been discontinued and as of 11.12.2019, can no longer be delivered.



Data sheet | Item number: 288-433

Safety relay module; Nominal input voltage: 60 VDC; 2,50 mm²

www.wago.com/288-433



Data Technical Data

Control circuit

Input voltage range	±10 %
Material Data	
Fire load	1.152 MJ
Weight	99.7 g

Subject to changes. Please also observe the further product documentation!

 WAGO Kontakttechnik GmbH & Co. KG
 Do you have any questions about our products?

 Hansastr. 27
 We are always happy to take your call at +49 (571) 887-44222.

 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169

 Email: info.de@wago.com | Web: www.wago.com
 Email: info.de@wago.com



Data sheet | Item number: 288-433 www.wago.com/288-433 Commercial data


Product Group	6 (Interface Electronics)
Packaging type	BOX
Country of origin	DE
GTIN	4045454567330
Customs Tariff No.	85364900990

Counterpart


Downloads CAD/CAE-Data		
CAE data		
EPLAN Data Portal 288-433	URL	Download
WSCAD Universe 288-433	URL	Download

Installation Notes

Inserting a conductor



Connection of conductor – Operating tool actuation parallel to conductor entry.



Connection of conductor – Operating tool actuation perpendicular to conductor entry.

Assembly

Subject to changes. Please also observe the further product documentation!


WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.



Data sheet | Item number: 288-433

www.wago.com/288-433





Assembly of a module on the carrier rail

Removing a module from the DIN-rail.

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.