Data sheet | Item number: 289-198

Coupler module; 2xRJ-45; Cat. 6A; in mounting carrier; with shield connection

www.wago.com/289-198







Data Electrical data

Contact resistance	200 mΩ
Specialty functions	with shield connection

Safety and protection

Protection type	IP20	

Connection data

Number of poles	8
Connection type (1)	System
Pole number 1	8
Pluggable connectors	RJ-45 (shielded)
Connection type 2	System
Pole number 2	8

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO Corporation Germantown, WI 53022

Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222

Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 289-198

www.wago.com/289-198



Connector 2	RJ-45 (shielded)
Mating cycles	750
Connection cable	Cat. 6A (min.)

Physical data

Width	18 mm / 0.709 inch
Height	90 mm / 3.543 inch
Depth from upper edge of DIN-rail	59 mm / 2.323 inch

Mechanical data

Mounting type	DIN-35 rail
3 71	

Material data

Contact plating (connector)	Au over Ni
Contact material (connector)	Spring steel
Material (plug-in module)	Zinc die-cast
Material (carrier rail adapter)	PC-GF10
Weight	34 g

Environmental requirements

Surrounding air temperature (operation)	-10 60 °C
Surrounding air temperature (storage)	-40 70 °C
Relative humidity	95% (non-condensing)

Commercial data

PU (SPU)	1 Stück
Packaging type	bag
Country of origin	PL
GTIN	4055144029901
Customs tariff number	8536904000

Downloads Documentation

Bid Text

xml	Download
3.8 kB	

Subject to changes. Please also observe the further product documentation!

WAGO Corporation Germantown, WI 53022 Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222

Email: info.us@wago.com | Web: www.wago.us

Data sheet | Item number: 289-198

www.wago.com/289-198



docx 15.1 kB Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 289-198

URL

Download

Coupler module; 2xRJ-45; Cat. 6A; in mounting carrier; with shield connection

Installation Notes

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO Corporation Germantown, WI 53022

Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222

Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.