


Data sheet | Item number: 293-502/001-000

Insulated PUSH WIRE® connectors; with fixing holes; 2-pole; with standard marking; Push buttons on one side (white side); Long housing; 1,50 mm²; white

www.wago.com/293-502_001-000



 Picture differs from the item.

RoHS 
Compliant



Color: 

Data

Connection data

Connection technology	PUSH WIRE®
Strip length	8 ... 9 mm / 0.31 ... 0.35 inch
Pole No.	2
Total number of connection points	8
Total number of potentials	2
Number of connection types	1

Material data

Color	white
Fire load	0.099 MJ

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at {0}.



Weight	6.1 g
--------	-------

Physical data

Width	18.5 mm / 0.728 inch
Height	20.8 mm / 0.819 inch
Depth	29 mm / 1.142 inch

Commercial data

Packaging type	bag
GTIN	4044918403320

Electrical data

IEC Approvals

Ratings per	IEC/EN 60664-1
Rated voltage (III/2)	400 V
Rated surge voltage (III/2)	4 kV
Rated current	18 A
Legend (ratings)	(III / 2) \triangleq Overvoltage category III / Pollution degree 2

UL Approvals


Approvals per	UL 1059
---------------	---------

CSA Approvals

Approvals per	CSA
---------------	-----

Approvals / Certificates

Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CSA DEKRA Certification B.V.	C22.2 No. 158	70048849

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at {0}.



Downloads
Documentation

Additional Information				
Technical explanations		2019 Apr 3	pdf 2.0 MB	Download

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at {0}.