


Data sheet | Item number: 706-3340/303-200

System cable; for Schneider Modicon M340; 2x 8 digital inputs or outputs;
Length: 2 m; Conductor cross-section: 0.14 mm²

www.wago.com/706-3340_303-200



Data Notes

| | |
|------|---|
| Note | When using more than 10 wires, the maximum current per wire must be reduced to 0.7 A. |
|------|---|

Electrical data

| | |
|-------------------------|--------------------------------|
| Inputs/outputs | 2 x 8 analog inputs or outputs |
| Operating voltage | ≤ AC/DC 35 V |
| Current per wire (max.) | 1 A |

Connection data

| | |
|-------------------------------|---|
| Compatible PLC Modules | Schneider Modicon M340 |
| Compatible PLC I/O Card Types | BMX DDM 16022 |
| Connection type (1) | System |
| Pole number 1 | 10 |
| Pluggable connectors | Pluggable connector per DIN 41651; Female connector |
| Connection type 2 | System |
| Pole number 2 | 10 |
| Connector 2 | Pluggable connector per DIN 41651; Female connector |
| Connection type (3) | System |
| Pole number 3 | 20 |
| Connector 3 | Schneider BMXFTB2020 |

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



| | |
|--------------------|----------------------|
| Cable type | LiYY |
| Wire cross-section | 0.14 mm ² |
| Color code | per DIN VDE 47100 |

Physical data

| | |
|--------------|-----|
| Cable length | 2 m |
|--------------|-----|

Material data

| | |
|--------|-------|
| Weight | 262 g |
|--------|-------|

Environmental requirements

| | |
|---|---------------|
| Surrounding air temperature (operation) | -20 ... 50 °C |
|---|---------------|

Commercial data

| | |
|-----------------------|---------------|
| PU (SPU) | 1 Stück |
| Packaging type | bag |
| Country of origin | FR |
| GTIN | 4055143678537 |
| Customs tariff number | 85444290900 |

Downloads

Documentation

System Description

| | | |
|---|----------|----------|
| WAGO System Wiring, Selection Guide | pdf | Download |
| This guide will help you select the appropriate interface modules and system cables for the controller you are using. | 545.9 kB | |

Environmental Product Compliance

Compliance Search

| | | |
|--|-----|----------|
| Environmental Product Compliance 706-3340/303-200 | URL | Download |
| System cable; for Schneider Modicon M340; 2x 8 digital inputs or outputs; Length: 2 m; Conductor cross-section: 0.14 mm ² | | |

Subject to changes. Please also observe the further product documentation!



Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.