



Data

Electrical data

Note on contact resistance

approx. 1m Ω contact resistance approx. 0.25m Ω contact transition
plug/socket

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



IEC Approvals

Rated voltage (III / 3)	250 V
Rated impulse voltage (III/3)	4 kV
Rated current	25 A
Rated voltage (III/3) 2	400 V
Rated surge voltage (III/3) 2	6 kV
Legend (ratings)	(III / 3) Δ Overvoltage category III / Pollution degree 3

Ratings per UL

Rated voltage (UL 1977)	600 V
Rated current UL 1977	23 A

Physical data

Width	190 mm / 7.48 inch
Height	30 mm / 1.181 inch

Mechanical data

Mounting type	Wall screw adapter Secured to mounting plate
---------------	---

Plug-in connection

Mismating protection	Yes
Locking of plug-in connection	locking lever

Material data

Insulation material	Polyamide 66 (PA 66)
Contact material	Copper or copper alloy, surface-treated
Fire load	64.128 MJ
Weight	377.4 g

Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures \leq 105 °C

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Commercial data

Product Group	20 (WINSTA)
PU (SPU)	1 Stück
Country of origin VKOrg Germany	DE
GTIN	4050821302773
Customs tariff number VKOrg Germany	85366990990

Installation Notes



Securing the mounting plate with WINSTA®
Distribution Box to the wall (e.g., via stud gun).

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.