



This item has been discontinued and is no longer available as of 31.12.2020.

Successor model



Item no.821-155

Rail-mount terminal block set; L-BOXX® 102; 2002, 2006, 2016 Series

www.wago.com/821-155

Item description

Contains:

- 75 x 2-conductor through terminal block; 0.25 ... 2.5 (4) mm²; grau (2002-1201)
- 25 x 2-conductor through terminal block; 0.25 ... 2.5 (4) mm²; blau (2002-1204)
- 25 x 2-conductor ground terminal block; 0.25 ... 2.5 (4) mm²; green-yellow (2002-1207)
- 25 x End and intermediate plate; orange (2002-1292)
- 25 x Adjacent jumper for continuous commoning; insulated; 2-way; lightgray (2002-400)
- 15 x 2-conductor through terminal block; 0.5 ... 6 (10) mm²; grau (2006-1201)

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at {0}.



- 5 x 2-conductor through terminal block; 0.5 ... 6 (10) mm²; blau (2006-1204)
- 5 x 2-conductor ground terminal block; 0.5 ... 6 (10) mm²; green-yellow (2006-1207)
- 10 x End and intermediate plate; orange (2006-1292)
- 25 x Push-in type jumper bar; insulated; 2-way; lightgray (2006-402)
- 12 x 2-conductor through terminal block; 0.5 ... 16 (25) mm²; grau (2016-1201)
- 6 x 2-conductor through terminal block; 0.5 ... 16 (25) mm²; blau (2016-1204)
- 6 x 2-conductor ground terminal block; 0.5 ... 16 (25) mm²; green-yellow (2016-1207)
- 10 x End and intermediate plate; orange (2016-1292)
- 25 x Push-in type jumper bar; 2-way (2016-402)
- 10 x Screwless end stop; 10 mm wide (249-117)
- 5 x Group marker carrier (249-119)
- 1 x Marking strips; white; 1 m long (2009-110)
- 2 x WMB marking card; unbedruckt (793-5501)
- 2 x WMB marking card; 1 ... 50 (793-5566)
- 1 x WMB marking card; L1, L2, L3, N, PE (793-5472)
- 1 x Fiber-tip pen (210-110)
- 2 x Testing tap; for max. 2.5 mm² (2009-182)
- 1 x Operating tool set with partially insulated shaft (210-722)
- 1 x Operating tool (2009-310)
- 1 x Sortimo® T-BOXX Plastic Case, white, with transparent cover, green inset boxes (4 x D3, 2 x G3), suitable for all Sortimo® In-Vehicle Equipment

Data

Material data

Fire load	32.597 MJ
Weight	4508.9 g

Commercial data

Packaging type	BOX
Country of origin	QU
GTIN	4055143678056
Customs tariff number	80808080888

Downloads

Documentation

Additional Information

Technical explanations	2019 Apr 3	pdf	Download
------------------------	------------	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
 Germantown, WI 53022
 Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
 Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
 We are always happy to take your call at {0}.



Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at {0}.