

Data sheet | Item number: 832-542

center locking with strain relief; Pin spacing 10.16 mm; orange

www.wago.com/832-542



Dimensions in mm

The arrangement of the attachments for cable ties allows single conductors or multi-core cables to be secured in different ways. The width of the cable ties must correspond to the hole dimensions of the strain relief plates shown above.

Cable ties and binding tools are not offered by WAGO.

Data

Connection data

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Connection 1

Number of poles	2
-----------------	---

Physical data

Width	20.2 mm
-------	---------

Mechanical data

Mounting type	Snap-in mounting
Suitable	for standard male and female connectors

Plug-in connection

Locking of plug-in connection	Center locking lever
-------------------------------	----------------------

Material data

Color	orange
Material group	I
Insulation material	Polybutylene terephthalate (PBT)
Weight of insulation material	3.35
Weight	3.4 g

Commercial data

PU (SPU)	60 (10) Stück
Packaging type	box
Country of origin	DE
GTIN	4055143961073
Customs tariff number	3926909985

Downloads

Documentation

Additional Information

Technical explanations	2019 Apr 3	pdf 2.0 MB	Download
------------------------	------------	---------------	----------

Environmental Product Compliance

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Compliance Search

Environmental Product Compliance 832-542
center locking with strain relief; Pin spacing 10.16 mm; orange

[URL](#)

[Download](#)

Installation Notes

Installation



Locking lever; for field assembly



Locking lever; for field assembly



Locking lever; for field assembly

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.